bazoo

Performance, Quality, Design

Computer Accessories 2011

Technology for Lifestyle

Vivanco offers its retail partners the ideal combination of high-quality products, efficient service, reliable partnership and attractive conditions. Vivanco is one of the leading providers for equipment and connecting accessories – in terms of both the width and the depth of its product lines.

Vivanco has been expanding its service offering for specialist retailers successfully, covering almost the entire value chain along the retail process. From development and manufacturing of new products over logistics, marketing and sales, all the way to product line support at the P.O.S. (Point of Sale). With the company's sense for trends, its well-founded knowledge of production markets, extensive marketing know-how and targeted retailer support, Vivanco is the ideal system service provider and partner for specialist retailers for innovative, market-driven products, P.O.S. service and ideas.
This combination allows retailers to tap their full sales potential.

Vivanco, for maximum effectiveness and competitiveness

Content

INPUT

Wireless Keyboards / sets	8
Wired Keyboards / sets	9 – 12
Mice	13
Multitouch Mice	14
Wireless Mice	15 – 16
Wired Mice	16 – 20

SOUND

Subwoofer Systems	22 – 23
Stereo Speakers	24 – 25
Wireless Headsets	26 – 27
Headsets and Microphones	28 – 32
Interfaces	33

MULTIMEDIA

Webcams	35 – 36
AC/DC Power Supplies	37 – 38
DC/DC Power Supplies	39
Accessories	40 – 41
Network, wireless	43 – 45
Network, wired	45 – 46
USB 3.0	48 – 49
USB adapter	50
USB 2.0, adapter	51 – 52
USB 2.0, Green-hubs	53 – 54
USB 2.0 hubs	55 – 58
USB 2.0 Card reader	58 – 61
USB 2.0 Interface	61
Bluetooth®	63 –64
Security	65
Peripherals	65
Others	65

LIFESTYLE

Mousepads	67 – 74
Skins	74 – 75

CLEANING SYSTEMS

PC Cleaning Systems	77 – 78

OTHERS

Product Matrix	79 – 82
Quickfinder	83 – 85
Contact	87

www.bazoo.eu

What is bazoo?

All-in-One

Tablet

Notebook

Netbook

Desktop

THE BRAND / THE PRODUCT AREAS

The IT market is in a state of permanent flux. The convergence between the areas of consumer electronics, telecommunications and information technology can no longer be overlooked. As the driving force of this development, IT is bringing out new primary device classes (e.g. Tablet PC, All-in-One PC) which call for flexible solutions in terms of accessories.
The IT accessories brand bazoo has set itself the goal of addressing the modern and lifestyle-oriented target group with product ideas which supplement the new device classes in the best possible way, and which are moreover clearly differentiated from the competition.

bazoo products are:

- High-margin – attractive profit margins with pricing that is still in attuned to the market.
- Exclusive – innovative technology, own designs, special materials
- Up-to-date – own trend scouting and European customer feedback
- Certified – by strong partners (e.g. USB 3.0, Microsoft TiltWheel)
- Prizewinning – prestigious awards generate additional demand

In this bazoo product area up-to-date technology (USB 3.0, Bluetooth® 3.0 etc.) and clever solutions (e.g. GREEN USB-HUB that can be switched off) come together with fresh designs and selected tuning products.

The focus is on improved performance and convenience in using current primary devices.

Modern Smartphone pouches, innovative mousepads and Notebook skins with fresh motifs support the consumer's wish for individuality.

As well as exclusive designs, specially selected materials (e.g. textiles, surfaces etc.) not only lend the products a high degree of attractiveness but give rise to real USPs (e.g. with mousepads – extremely non-slip but nonetheless completely detachable).

bazoo keyboards and mice not only offer exceptional materials and outstanding design.

Together with the incorporation of innovative technologies, like Multi-touch and BlueSense, they achieve a high degree of attractiveness.

bazoo sound products make use of new technologies (2.2 Subwoofer), make a convincing impression with their exceptional sound quality (Bluetooth Stereo Headset) and can be used in versatile ways (e.g. with a Mac, iPad, PC or Playstation3).

POS – Display & Shop wall

A clear visual segmentation of the assortment makes for high attractiveness in the wall presentation, and moreover has an outstanding effect at a distance. Sales will be supported by integrated displays for core products of the various assortment areas.

1 – 3D-Poster
2 – Demo-display
3 – Top display
4 – Magnetic side banners
5 – Scanner bar
6 – Sales display

PACKAGING – Full packaging to blister box

Thanks to the well thought out grid system, the target-group-oriented packaging lends itself to spatially optimised presentation on the shop wall. In addition, the conspicuous design supports successful placement in the direct competitive environment.

The sales displays effortlessly facilitate multiple placements. The four bazoo product ranges are represented by four main colours. This colour coding system helps with orientation from a distance and provides good opportunities for positioning in the market.

1 – Highlighted presentation of the product
2 – Unambiguous visualisation of the brand
3 – Clear colour labelling for assortment areas
4 – Self-explanatory pictograms for product description
5 – Description in up to 18 languages
6 – Conspicuous producthighlights

www.bazoo.eu

Internet / PR / Awards

Internet: Under www.bazoo.eu

... there is complete information about all current products. The precisely detailed 3D illustrations should be specially highlighted. Operating instructions and driver software for the relevant products can be downloaded in the Support section. The internet presentation is supplemented by information about new products, test reports and a small fun area. There are also news items, prize games and bazoo product promotions on Facebook. As well as this, we also present the latest product videos on our YouTube channel bazoo EU.



3D-Animation

bazoo at Facebook

PR

Each new product is supported by an intensive press and public relations effort.
Each new product receives a bilingual press release and an informative press photo. Often, these result in print and online publication which generates additional demand.

Selected new products are tested and made ready for series production in cooperation with young potential users. This ensures optimum orientation to the requirements of the target groups and therefore the success of these products.

Awards

bazoo products are innovative and design-orientated.
This is proved by many prestigious awards and top ratings by independent editors.

Of course, in order to promote sales, these results are prominently displayed on the packaging and communicated in separate press releases.

PLUS X AWARD achieved for: Ease of Use

PLUS X AWARD achieved for: Design

reddot design award winner 2009

Computer Bild Testergebnis: gut Ausgabe 19/2008

Mice and Keyboards

Wireless Keyboards / Sets

B-KB FM
EDP-No. 27143
ctn qty. 10


Extra slim

USB receiver

Adjustable height

USB Receiver · Wireless Technology · Real Scissor Keys · 5 Hotkeys · Batteries included

bazoo WIRELESS BOARD
Compact Wireless Keyboard

The Bazoo WIRELESS BOARD is equipped with a very compact design and high quality keyboard module. This ensures whisper-quiet and relaxed typing. It is excellently suited for use with an all-in-one PC or as a netbook/ notebook keyboard. The transmission frequency of 2.4 GHz enables rapid and stable wireless connection and a greater range than with conventional 27 MHz technology.
The integrated auto-pairing function ensures easy battery changes: no new pairing procedure is necessary, as the keyboard and the receiver are automatically detected after battery replacement or switching off.

- Auto-pairing function for easy Connection establishment
- Numerical keypad can be achieved by double assignment of the keyboard
- On/Off switch to save power when not in use
- Range up to approx. 8 m
- For Windows® XP, 2000, Vista® and Windows® 7
- Basic functions also available under Mac OS 10.x.
- Package: cardboard box

B-WB MM 2.4
EDP-No. 27146
ctn qty. 10

USB receiver



USB Receiver · Wireless Technology · 18 Hotkeys · Sensitivity · Buttons · Batteries included

bazoo WIRELESS SET
2.4 GHz Keyboard & Optical Mouse

This wireless keyboard/mouse set ensures convenient working without tangled cables. The transmission frequency of 2.4 GHz enables a rapid and stable wireless connection

- Auto-pairing function for easy Connection establishment
- Mouse with 5 buttons and 800 dpi optical sensor
- Range up to approx. 5 m
- For Windows® 2000, XP, Vista® and Windows® 7
- Package: cardboard box

Wired Keyboards / Sets

B-KB USB SLIM
EDP-No. 27150
ctn qty. 10

bazoo button

Super-flat design

bazoo SLIMBOARD
USB Design Keyboard

The bazoo SLIMBOARD provides unique writing comfort thanks to its special key mechanism. This ensures whisper-quiet and relaxed typing.
The extra keys, which are available via the "bazoo key", enable direct access to the most important internet and multimedia functions. The super-flat design is not only an eyecatcher on any desk, but also reduces strain on the hand/wrists for long texts.

- Individual, high quality scissor keys for comfortable and quiet writing
- Super-flat design
- Important direct access keys can be reached via the bazoo key
- For Windows® 2000, XP, Vista® and Windows® 7
- For Linux 2.6.x.y
- Package: cardboard box

B-KB USB IBOARD
EDP-No. 27149
ctn qty. 10


Super-flat design

Built-in USB port



bazoo iBOARD
USB Design Keyboard

Thanks to its USB 2.0 port the bazoo iBOARD ensures quick and reliable connection of USB devices (MP3 players, cameras, etc.). Efficient work is enabled by the 16 quick-access keys for Office and multimedia applications.
Of course, with its individually applied keys and slim design, the iBOARD also looks great on a desk – and is also ideal as a convenient, visually matching keyboard for use with Nintendo® Wii® games consoles.

- Individually suspended keys for greater writing comfort
- Built-in USB 2.0 port
- Extra slim structure, only 18mm high
- For Windows® 2000, XP, Vista® and Windows® 7
- For Linux 2.6.x.y.
- For Nintendo Wii
- Package: cardboard box

Wired Keyboards / Sets

bazoo LUMIBOARD
Multimedia Keyboard

The bazoo LUMIBOARD provides switchable blue background lighting which makes it possible to type in the dark.

- Direct access keys for multimedia and internet applications
- Design elements in acrylic and chrome look
- For Windows® 2000, XP, Vista® and Windows® 7
- For Linux 2.6.x.y
- Packaging: cardboard box

B-KB MM USB LIGHT
EDP-No. 28760

ctn qty. 10

Switchable lighting


Transparent buttons

USB Connection | Blue Illumination | 9 Hotkeys

bazoo iBOARD MINI
USB Mini Keyboard

On your desk, the bazoo iBOARD MINI ideally harmonises with modern working environments. It combines compact size with a wide range of functions: additional multimedia and internet functions as well as an integrated number pad are available. The individually mounted keys provide great writing comfort, as they have a normal size.

- Full-size keys for comfortable typing
- For Windows® 2000, XP, Vista® and Windows® 7
- For Linux 2.6.x.y. or higher
- Packaging: cardboard box

B-KB USB MINI
EDP-No. 28773

ctn qty. 20

USB Connection | Mini Size | 13 Hotkeys

Wired Keyboards / Sets

B-KB USB ST
EDP-No. 27145
ctn qty. 20

USB Connection

bazoo COMPACT BOARD
USB Keyboard

Attractive standard keyboard with USB connection

- For Windows® 2000, XP, Vista® and Windows® 7
- For Linux 2.6.x.y
- Packaging: cardboard box

B-KB ST
EDP-No. 28
ctn qty. 20

not available anymore!

PS/2

bazoo COMPACT KEYBOARD
PS/2 Keyboard

Standard keyboard with PS/2 connection for older PCs

- With 3 power keys for Powermanagement
- For Windows® 2000, XP, Vista® and Windows® 7
- For Linux 2.6.x.y
- Package: cardboard box

B-KB 10-KEY
EDP-No. 28761
ctn qty. 5

USB Connection

bazoo KEYPAD
external USB Keypad

The elegant and slim numerical keypad makes it easy to enter numbers on the laptop

- Cable can be fastened to the device to prevent cable entanglement during transportation
- Extra flat keys for a quick number entry
- With NumLock LED
- No driver installation required
- For Windows® 2000, XP, Vista® and Windows® 7
- For MacOS 10 or higher
- For Linux 2.6.x.y.
- Packaging: blister

Wireless Mice

bazoo MERLIN BS
Wireless BlueSense Desktop Mouse

The bazoo MERLIN BS Mouse uses the latest BlueSense sensor technology and can therefore be used on a wide range of surfaces. The nano-receiver, which can be stored in the mouse, can optionally remain plugged in to the notebook, as its extra-small size hardly protrudes from the housing. The high quality chrome plating on the sides gives the mouse an elegant and modern design.

- BlueSense sensor with sensor sensitivity: 1000 dpi
- Desktop size (approx. 115 mm long) is also suitable for large hands
- The USB receiver can remain in the computer/notebook or in the housing of the mouse during transport
- High quality scroll wheel
- 5 buttons
- Long battery life
- For Windows® 2000, XP, Vista® and Windows® 7
- Standard functions also with MacOS 10 and Linux 2.6.x.y.
- Packaging: blister

B-MSFBU MER PI
EDP-No. 27133
ctn qty. 5 / pink

new B-MSFBU MER GR
EDP-No. 27134
ctn qty. 5 / gray

Ergonomic form

Transport compartment

Nano USB receiver

bazoo LUGUS BS
Wireless BlueSense Notebook Mouse

The bazoo LUGUS BS Wireless Notebook Mouse uses the latest BlueSense sensor technology. Thanks to the receiver, which can be concealed in the mouse, it is ideal when travelling. The compact size makes it comfortable to use for long periods.

- BlueSense sensor with Adjustable sensitivity of the sensor (800 / 1600 dpi)
- USB receiver take place in the notebook or during transportation it can take place under the mouse
- High quality scroll wheel
- 6 buttons
- Long battery life
- For Windows® 2000, XP, Vista® and Windows® 7
- Standard functions also with MacOS 10 und Linux 2.6.x.y.
- Packaging: cardboard box

B-MSFBU LUG BL
EDP-No. 27140
ctn qty. 5

Compact design

Transport compartment

Wireless Mice

new B-MSFOU MAR
EDP-No. 28781
ctn qty. 50

Nano USB receiver

Transport compartment

bazoo MARA
FM Notebook Mouse

With its stable wireless transmission, the bazoo MARA enables comfortable working without tangled cables.

- Optical Sensor with 1600 dpi sensitivity
- USB receiver take place in the notebook or place under the mouse
- 3 buttons
- For Windows® 2000, XP, Vista® and Windows® 7
- For Linux 2.6.x.y.
- Packaging: cardboard box

Wired Mice

B-MSBU SHI
EDP-No. 27141
ctn qty. 5

Show the sensitivity

Ergonomic design

bazoo SHIVA BS
USB Gaming Mouse

The bazoo SHIVA Gaming Mouse is the ideal input device for occasional players. Thanks to the adjustable sensitivity, the mouse can be quickly adapted to any gaming situation. The BlueSense sensor enables the mouse to be used even on difficult surfaces.

- Optical BlueSense sensor
- Adjustable sensitivity (400, 800, 1600 and 2400 dpi)
- Desktop size (approx. 115 mm long) is also suitable for large hands
- 6 buttons
- High quality scroll wheel
- LEDs to indicate the sensitivity
- Incl. driver CD
- For Windows® XP, 2000, Vista® and Windows® 7
- Packaging: blister

Wired Mice

bazoo MARA
USB/PS2 Desktop Mouse

The special coating of the bazoo MARA USB/PS2 Desktop Mouse makes it pleasant to use for long periods of work or gaming – and the USB-PS/2 combination plug ensures universal connection.

- Optical Sensor with 800 dpi sensitivity
- 3 buttons (incl. scroll wheel)
- For Windows® 2000, XP, Vista® and Windows® 7
- For Linux 2.6.x.y.
- Packaging: cardboard box

new B-MSOC MAR
EDP-No. 28763
ctn qty. 50

PS/2 adapter

bazoo MARA
USB Mouse

Attractive optical entry-level mouse

- Optical Sensor with 800 dpi sensitivity
- 3 buttons (incl. scroll wheel)
- For Windows® 2000, XP, Vista® and Windows® 7
- For MacOS 10.x or higher
- For Linux 2.6.x.y.
- Packaging: blister (28762) / cardboard box (28800)

B-MSOU 10
EDP-No. 28762
ctn qty. 6

new B-MSOU 10GX
EDP-No. 28800
ctn qty. 50

bazoo NANO
Laser Netbook Mouse

The bazoo Nano laser mouse is the world's smallest laser mouse! With its "size" of only 68 x 29 x 20 mm and retracting USB cable, it fits into the very smallest corner of your notebook bag and is therefore the ideal companion when you are on the move.

- Laser Sensor with switchable resolution (1000 / 2000 dpi)
- 3 buttons (incl. scroll wheel)
- Automatic cable reeler for space saving mouse transport
- For Windows® 2000, XP, Vista® and Windows® 7
- For MacOS 10.x or higher
- For Linux 2.6.x.y.
- Packaging: blister

B-MSLU NA
EDP-No. 27
ctn qty. 6

not available anymore!

Cable reeler

Wired Mice

new B-MSLU MAR GX
EDP-No. 28782
ctn qty. 50

bazoo MARA
USB Laser Mouse

The bazoo MARLA USB Mouse is equally suitable for right-handed and left-handed people. The laser sensor enables the mouse to be used even on difficult surfaces.

- Laser sensor with 1600 dpi sensitivity
- 3 buttons (incl. scroll wheel)
- Medium sized therefore useable as desktop or notebook mouse
- For Windows® 2000, XP, Vista® and Windows® 7
- For MacOS 10.x or higher
- For Linux 2.6.x.y.
- Packaging: blister

B-MSBU LUG OR
EDP-No. 27136
ctn qty. 5 – orange

B-MSBU LUG GR
EDP-No. 27137
ctn qty. 5 – green

B-MSBU LUG CH
EDP-No. 27138
ctn qty. 5 – champagne

B-MSBU LUG PI
EDP-No. 27139
ctn qty. 5 – pink

bazoo LUGUS BS
BlueSense Notebook Mouse

The LUGUS BS Notebook mice use the new BlueSense sensor technology. Four different colours provide the right choice for every taste. The compact size makes it comfortable to use for long periods.

- BlueSense sensor with adjustable sensitivity (800 / 1600dpi)
- High quality scroll wheel
- 6 buttons
- For Windows® 2000, XP, Vista® and Windows® 7
- Standard functions also with MacOS 10.x and Linux 2.6.x.y.
- Packaging: blister

Wired Mice

bazoo NETO BS
USB Design Mouse, black

The bazoo NETO BS impresses with its unusual open design and the latest BlueSense sensor technology. As an addition design element, the blue illumination rounds off the appearance of the bazoo NETO BS and makes it a real attraction on your desk or on the move.

- BlueSense sensor with 1000 dpi resolution
- High quality scroll wheel
- 3 buttons
- For Windows® 2000, XP, Vista® and Windows® 7
- For MacOS 10.x and Linux 2.6.x.y.
- Packaging: blister

B-MSBU NET BK
EDP-No. 27126
ctn qty. 5

Open design

Blue effect-LED



bazoo LUGUS
Optical Notebook Mouse

Small laptop mouse with retractable USB cable and special surface coating for comfortable working on the move.

- Optical Sensor with 1000 dpi sensitivity
- 3 buttons (incl. scroll wheel)
- For Windows® 2000, XP, Vista® and Windows® 7
- For MacOS 10.x and Linux 2.6.x.y.
- Packaging: Blister

LUGUS MOUSE
EDP-No. 27128
ctn qty. 6

Cable reeler

Wired Mice

new B-MSOC LUG
EDP-No. 28764
ctn qty. 5

PS/2 adapter

bazoo LUGUS
USB/PS2 Notebook Mouse

The attractive metallic-red LUGUS with its chrome design elements can be used universally thanks to its USB connection and PS2 adapter.

- Optical Sensor with 1000 dpi sensitivity
- 3 buttons (incl. scroll wheel)
- For Windows® 2000, XP, Vista® and Windows® 7
- For MacOS 10.x and Linux 2.6.x.y.
- Packaging: blister

B-MSOU MAR BK
EDP-No. 27120
ctn qty. 6 / black

B-MSOU MAR WH
EDP-No. 27121
ctn qty. 6 / white

B-MSOU MAR RD
EDP-No. 27122
ctn qty. 6 / red

B-MSOU MAR BL
EDP-No.
ctn qty. 6 / b

not available anymore!

Optical Notebook Mouse

The bazoo MARA USB mouse is equally suited for right-handed and left-handed persons. With the USB connection, you can plug it to almost any computer and (mini) notebook – a mouse for all occasions! The four available colours offer each user a model of his own liking.

- Optical Sensor with 1000 dpi sensitivity
- 3 buttons (incl. scroll wheel)
- Four attractive colours (black, white, red, blue) with silver highlights
- For Windows® 2000, XP, Vista® and Windows® 7
- For MacOS 10.x und Linux 2.6.x.y.
- Packaging: blister

Sound

Subwoofer Systems

new B-SP 2.2 MER II
EDP-No. 27197
ctn qty. 2

Blue illuminated control

On/Off switch, RCA connection

DoubleBass Technology

bazoo MERLIN 2.2 II
Double Bass Speaker System

The MERLIN 2.2 II Speaker System impresses with optimised sound and even better quality. It is the ideal loudspeaker for anyone looking for a heavy bass and a powerful sound!
The 2.2 bass technology ensures perfect bass response. Separate controllers for low and high frequencies allow optimum customization for every preference. All stereo sources with a 3.5 mm jack output, such as sound cards, MP3 players, HD players etc. can be connected and played with excellent quality.

- New 2.2 technology for extra bass power
- 44 W RMS / 830 W p.m.p.o. music power
- Separate control of bass and treble
- Front panel with high-gloss details
- Satellites with RCA connection
- Dimensions Subwoofer: 280 x 180 x 250 mm
- Magnetically shielded
- Dimensions Satellites: 99 x 182 x 140 mm
- Internal power supply with 2-pin euro plug
- Incl. connection cable
- Packaging: cardboard box

B-SP 2.1 NET W
EDP-No.
ctn qty. 4

not available anymore!

Remote control

Blue illumination effects

bazoo NETO W 2.1
Stereo Subwoofer System

The bazoo NETO W 2.1 sound system optically and harmonically blends in the writing desk area thanks to its modern design and the blue satellite illumination. The apple-white coulor of the housings gives an even more sleek look to the whole system. The cable remote control permits a comfortable volume regulation. The main volume can be adjusted at the subwoofer's backside, same as the bass level.

- 2.1 Stereo subwoofer system
- 12 W RMS / 400 W p.m.p.o. music power
- Adjustable bass levels
- Cable remote control for volume adjustment
- Magnetically shielded
- Dimensions subwoofer: 176 x 194 x 257 mm
- Dimensions satellites: 95 x 197 x 60 mm
- Internal power supply with 2-pin euro plug
- Incl. connection cable
- Packaging: cardboard box

Subwoofer Systems

bazoo MARA 250
2.1 Speaker System

Powerful 2.1 subwoofer sound system with a real music output of 25 W RMS. With its 2-way satellites and the huge 5.25" subwoofer, the MARA 250 system ensures rich sound playback for games, videos, MP3 and more!

- 2.1 stereo subwoofer system
- 5.25" loudspeaker (subwoofer)
- 1"+ 3" loudspeakers (satellites)
- 25 W RMS / 750 W p.m.p.o. music power
- Adjustable bass and treble levels
- Incl. Cable remote control for volume adjustment
- Magnetically shielded
- Dimensions Subwoofer 212 x 221 x 239 mm
- Dimensions Satellites 119 x 154 x 122 mm
- Internal power supply with 2-pin euro plug
- Incl. connection cable
- Packaging: cardboard box

B-SP 2.1 MAR
EDP-No. 27162
ctn qty. 2

Remote control



bazoo MARA 2.1P
2.1 Speaker System

The MARA 2.1P sound system offers a nice and warm sound thanks to its wooden subwoofer. Users can adjust the bass level with the controller on the back of the subwoofer.

- 2.1 stereo subwoofer system
- 10 W RMS / 300 W p.m.p.o. music power
- Adjustable bass and treble levels
- Plastic satellites
- Magnetically shielded
- Subwoofer dimensions: 190 x 153 x 220 mm
- Satellite dimensions: 125 x 80 x 93 mm
- Internal power supply with 2-pin europlug
- Incl. connection cable
- Packaging: cardboard box

PRO B-SP 2.1
EDP-No. 27159
ctn qty. 6

www.bazoo.eu

Stereo Speakers

B-SP MOB LUG
EDP-No. 27164
ctn qty. 20

Integrated volume control



bazoo LUGUS MOBILE
Notebook Speakers

The bazoo LUGUS MOBILE notebook speaker gets its power from the USB connection and can be plugged in to all sources with 3.5 mm stereo socket. You easily set the volume with the integrated, blue illuminated controller. Perfect sound is ensured by the direct orientation of the speaker to the listener, and the special surface coating gives the speaker system an agreeable look.

- 2.0 stereo system
- Special surface coating
- Power supply by USB
- 3 W RMS
- Magnetically shielded
- Dimensions satellites 70 x 88 x 120 mm
- Internal power supply
- Packaging: cardboard box

B-SP MOB LUG II
EDP-No. 27163
ctn qty. 20

ON/OFF switch

Integrated volume control



bazoo LUGUS MOBILE II
Notebook Speakers

The bazoo LUGUS MOBILE II can be easily connected and powered via USB. Transfer from the audio source is via a 3.5 mm jack plug, so that almost any stereo source can be used (MP3 player, iPod, iPhone etc.). The striking design makes it an eyecatcher on any desk, while ensuring precise direction of sound to the listener.

- 2.0 stereo system
- Power supply by USB with ON/ OFF switch.
- 2 W RMS
- Magnetically shielded
- Dimensions satellites: 73 x 73 x 83 mm
- Internal power supply
- Packaging: cardboard box

Stereo Speakers

bazoo MARA 100
Stereo Speaker

The bazoo MARA 100 speaker system is best for using it with desktop or notebook computers. It upgrades the sound output significantly and makes it enjoyable to listen to music. The system has got a volume control and a built-in headphone socket so that the user can listen to the music with a headphone if he wants to.

- 2.0 stereo design system
- 3 W RMS music power
- Headphone socket and on/off switch on satellite front side
- Blue power LED
- Magnetically shielded
- Dimensions: 85 x 175 x 75 mm
- Built-in power supply with 2-pin europlug
- Integrated connection cable
- Packaging: cardboard box

B-SP 100 MAR
EDP-No. 27161
ctn qty. 12

Headphone socket



bazoo MARA 50
Stereo Speakers

The bazoo MARA 50 speaker system is best for using it with a desktop or notebook/netbook computer since the power is supplied by USB. No additional power socket is needed to drive this system.

- 2.0 stereo design system
- 2 W RMS music power
- Headphone socket and on/off switch on satellite front side
- Magnetically shielded
- Dimensions: 73 x 148 x 65 mm
- USB power supply
- Integrated connection cable
- Packaging: cardboard box

B-SP 50 MAR
EDP-No. 27160
ctn qty. 12

Headphone socket



Wireless Headsets

bazoo MERLIN BT
Bluetooth Headset

Bluetooth 2.1 technology, multipoint functions, integrated Li-Ion battery and sumptuous, fully adjustable headband – only a few selected technical details of the bazoo BLUE-TOOTH HEADSET! In addition to technology, the headset impresses with elegant design and outstanding sound quality, whether from a notebook and PC or mobile phone. If a phone call interrupts music or chat, the BLUETOOTH HEADSET automatically switches to hands-free phone mode -- and then back (multipoint)!
In addition to simple connection to Apple iPhones, iPod Touch or iPad, the headset is also compatible with other Bluetooth products such as the Samsung Galaxy Tab or the Playstation 3 (for chatting).

- Stereo bluetooth headset
- Bluetooth 2.1 technology with multipoint (simultaneously connection of 2 devices)
- Remote control surfaces to control volume, tracks and telephone functions
- Multi-function key to answer/end calls, for muting the microphone, to reject a call and to play/pause music playback
- Adjustable headband
- Integrated Li-Ion battery for a longer operation and standby (incl. USB charging cable)
- Special surface coating
- Range depends on transmitter unit
- Supports A2DP, AVRCP, HFP and HSP Profiles
- Headphone impedance 32 Ohm (+/- 15 %)
- Microphone impedance 2.2 kOhm (+/-15 %)
- Microphone sensitivity -58 dB (+/- 3 dB)
- Packaging: blister

B-HM BT
EDP-No. 27177
ctn qty. 5

Bluetooth®

PLUS X AWARD® achieved for: Design

reddot design award
winner 2009

Remote control surfaces

Adjustable headband

Hidden microphone

Headsets and Microphones

bazoo NETO
USB Stereo Headset

The bazoo NETO USB headset is impressive because of its outstanding sound and its wearing comfort. Extra-soft fabric pads ensure that there is no discomfort even when used for an extended time. The integrated remote control allows fast control of the volume and muting of headphone/microphone. Thanks to the USB connector, the headset can be easily connected to PCs or notebooks.

- bazoo family design
- Adjustable microphone arm
- Connection cable with fabric coating
- Auto-adjust headband
- Volume control with microphone muting switch
- Headphone impedance 32 Ohm (+/- 15 %)
- 2.2 k Ohm
- Microphone sensitivity -58 dB (+/- 3 dB)
- Packaging: blister

B-HM USB
EDP-No. 23693
ctn qty. 5

Remote control

bazoo NETO R
Stereo Headset

The bazoo NETO R combines an attractive retro design and modern technology to provide an universal headset for chatting (VoIP), playing games and listening to music. The volume can be easily adjusted thanks to the integrated remote control.

- Highly fashionable retro design
- Adjustable headband
- Volume control with microphone muting switch
- Headphone impedance 32 Ohm (+/- 15 %)
- Microphone impedance 2.2 kOhm
- Microphone sensitivity -54dB (+/- 3 dB)
- Packaging: blister

B-HM NE
EDP-No.
ctn qty. 5 – white

not available anymore!

B-HM NET RD
EDP-No. 27179
ctn qty. 5 – red

Volume control

Fleible microphone

www.bazoo.eu

Headsets and Microphones

B-HM ST
EDP-No. 23692
ctn qty. 10

bazoo NETO ST Headset

The bazoo NETO ST Headset offers outstanding sound quality for all occasions and is perfectly suited for listening to music and gaming or simply for VoIP applications.

- bazoo family design
- Adjustable headband
- Volume control with microphone mute functions
- Headphone impedance 32 Ohm (+/- 15 %)
- Microphone impedance 2.2 kOhm
- Microphone sensitivity -58 dB (+/- 3 dB)
- Packaging: blister

B - HM NB
EDP-No. 23691
ctn qty. 10

bazoo NETO NB Headset

The bazoo NETO NB stereo headset is comfortable to wear; it is suitable for VoIP, listening to music or for gaming.
The neckband design ensures perfect fit in all situations.

- bazoo family design
- Convenient behind-the-head neckband design
- Volume control with microphone mute functions
- Headphone impedance 32 Ohm (+/- 15 %)
- Microphone impedance 2.2 kOhm
- Microphone sensitivity -58 dB (+/- 3 dB)
- Packaging: blister

Headsets and Microphones

bazoo MARA COLOR
Neckband Headsets

The bazoo neckband headsets come in six attractive colour combinations; their blister packaging allows them to be offered on the rear wall/gondola display or in dump bins. The practical neckband design represents the latest trend and convinces due to its modern design and low weight!

- Six colours each ctn qty.:
  - black/black
  - white / white
  - white / red
  - white / green
  - white / orange
  - white / violett
- Convenient behind-the-head neckband design
- Flexible microphone with matching colour highlights
- Built-in volume control
- Packaging: blister

B-HM NB COL
EDP-No. 27175
ctn qty. 18



Remote control

bazoo MARA BASIC
Stereo Headset

The MARA BASIC stereo headset is a comfortable head-phone/microphone combination to be used for making phone calls via the Internet (VoIP) or for listening to music from the PC. It is connected to any standard soundcard by 3.5 mm plugs. Thanks to the integrated volume control the user can choose the volume level directly

- Adjustable headband
- Flexible microphone
- Built-in volume control
- Packaging: blister

B-HM BASIC
EDP-No. 27176
ctn qty. 10

Volume control

Headsets and Microphones

B-HM MONO
EDP-No. 23690
ctn qty. 10

bazoo NETO M
Mono Headset

The bazoo NETO M mono headset is also part of the new family design of the bazoo headset series. The small and lightweight headset can be worn on the left or right ear. It is ideally suited for chatting and VoIP.

- bazoo family design
- Mono headset for left or right ear
- 15 mm loudspeaker
- Headphone impedance 32 Ohm (+/- 15 %)
- Mikrofon Impedanz: 2.2 kOhm
- Microphone sensitivity -58 dB (+/- 3 dB)
- Packaging: blister

new B-MF MINI
EDP-No. 27183
ctn qty. 5

bazoo MINI MIC
Notebook Microphone

The bazoo MINI MIC is excellent for voice applications with the notebook or netbook (e.g. internet telephony).

- Extremely small size
- No driver installation required
- Suitable for all operating systems
- Required a 3.5 mm microphone input

not available anymore!

CLIP
84
ctn qty. 5

bazoo CLIP MIC
Clip Microphone

The bazoo CLIP MIC can be connected to any PC with a 3.5 mm microphone input. Thanks to the simple clip, it can be easily attached to clothing and follows every move of the body.

- Clip function for simple attachment
- No driver installation required
- Suitable for all operating systems
- Required a 3.5 mm microphone input

Interfaces

6-channel PCI sound card
for real surround sound

- First class 3D sound experience thanks to 6-channel 16-bit Digital Audio Converter (DAC)
- 16-bit full duplex CODEC with support for "Voice over IP" Internet telephony systems
- Supports Microsoft® DirectSound 3D™
- C3DX Positional Audio for 4-channel speaker mode plus centre/subwoofer in 6-channel speaker mode
- Compatible with SB and SB Pro
- Downloadable “Wavetable Synthesizer” supports Direct Music™
- Includes software

System requirements:
- 1 free PCI Slot
- Prozessor >= 500 MHz or faster
- 300 MB free disk space
- CD ROM drive
- DirectX 9.1 or higher / Windows® 2000, XP, Vista®, Windows® 7

B-SOUND 6C PCI
EDP-No. 30426
ctn qty. 10



4-channel PCI sound card
for real surround sound

- First class 3D sound experience thanks to 4-channel, 16-bit Digital Audio Converter (DAC)
- 16-bit full duplex CODEC with support for "Voice over IP" Internet telephony systems
- Supports Microsoft® DirectSound 3D™
- C3DX Positional Audio for 4-channel loudspeaker mode
- Compatible with SB and SB Pro
- Downloadable “Wavetable Synthesizer” supports Direct Music™
- Includes software

System requirements:
- 1 free PCI slot
- Processor >= 500 MHz or better
- 300 MB free disk space
- CD-ROM drive
- DirectX 9.1 or higher / Windows® 2000, XP, Vista®, Windows® 7

B-SOUND 4C PCI
EDP-No. 30425
ctn qty. 10



* Only supported by Windows® XP 32 bit and 2003 server 32 bit

USB 3.0

Webcams

VGA Webcam with Stereo Headset

Perfect combination for voice over IP, chatting or video conferencing via internet. The built in clip allows fixation at a monitor or placement on the table or other plain surfaces. The combination works with all standard VoIP applications such as e.g. Skype.

Webcam:
- Compact design - ideal for mobile use on laptop and PC
- Snapshot button: Save images on the hard drive with the touch of a button
- Function LED
- Adjustable focus - Sharp images at all times
- Best results even with narrow internet band widths thanks to selectable alternative resolutions: 320x240, 176x144, 160x120 pixel
- Maximum 30fps (frames pro second) at 640x480 pixels
- Automatic white balance
- USB 2.0 Controller for fast datatranfer
- Packaging: blister

Headset:
- Stable, light-weight
- Connection: 3.5 mm stereo plug
- Frequency range 100 – 18000 Hz
- Sensitivity 105 dB
- Impedance 32 Ohm

Microphone:
- Frequency range 100 – 16000 Hz
- Sensitivity (1 kHz) 58 +/- 2 dB
- Impedance ≤ 2.2 kOhm

System requirements:
- Computer with USB support (preferably USB 2.0)
- CD ROM driver
- Windows® 2000, XP, Vista® and Win7

VOIP SET VGA
EDP-No. 30446
ctn qty. 4

AC/DC Power Supplies

Universal switching power supply for Notebooks and Netbooks

- Can be used as a replacement for a lost or broken original PSU or as a second PSU for home/office use
- Can be used for modern Mini-Notebooks (Netbooks)
- Reverse voltage protection
- Over-current protection
- Short circuit protection
- Over-voltage protection
- Over-power protection

- Input voltage 100 – 240 V AC~ 50 – 60 Hz
- Max. output power 65 W
- Max. output current 3.5 A (9.5 – 18.5 V) or 3.25 A (19/20 V)
- Adjustable output voltages: 9.5 V / 12 V / 14 V / 16 V / 18.5 V / 19 V / 20 V
- Works with many Notebook/Netbook brands, e.g.: ASUS, BenQ, Compaq, Dell, Fujitsu-Siemens, HP, IBM, LG, Lenovo, Samsung, Sony, Toshiba and more

NBK POWER AC65
EDP-No. 28118*

ctn qty. 5

9 different tips incl.



Universal switching power supply for Notebooks and Netbooks

- Can be used as a replacement for a lost or broken original PSU or as a second PSU for home/office use
- Can be used for modern Mini-Notebooks (Netbooks)
- Reverse voltage protection
- Over-current protection
- Short circuit protection
- Over-voltage protection
- Over-power protection

- Input voltage 100 – 240 V AC~ 50 – 60 Hz
- Max. output power 72 W
- Max. output current 3.5 A (9.5 – 20 V) or 3 A (24 V)
- Adjustable output voltages: 9.5 V / 12 V / 16 V / 18.5 V / 19 V / 20 V / 24 V
- Works with many Notebook/Netbook brands, e.g.: ASUS, BenQ, Compaq, Dell, Fujitsu-Siemens, HP, IBM, LG, Lenovo, Samsung, Sony, Toshiba and more

NBK POWER AC72
EDP-No. 28119*

ctn qty. 5

12 different tips incl.



* With the change to the bazoo packaging, this has a new article number

AC/DC Power Supplies

NBK POWER AC90II
EDP-No. 28120*
ctn qty. 5

6 different tips incl.



Universal switching power supply for Notebooks

- Can be used as a replacement for a lost or broken original PSU or as a second PSU for home/office use
- Can be used for modern Mini-Notebooks (Netbooks)
- Reverse voltage protection
- Over-current protection
- Short circuit protection
- Over-voltage protection
- Over-power protection
- Easy voltage adjustment
- 6 tips for different Notebook brands
- Also works with Netbooks
- Works with many Notebook/Netbook brands, e.g.: ASUS, BenQ, Compaq, Dell, Fujitsu-Siemens, HP, IBM, LG, Lenovo, Samsung, Sony, Toshiba and more

- Input voltage 100 – 240 V AC 50 – 60 Hz
- Max. output power 90 W
- Max. output current 4 A (15 – 22 V) bzw. 3.75 A (24 V)
- Adjustable output voltages: 15 V / 16 V / 18 V / 19 V / 20 V / 22 V / 24 V

NBK POWER AC90III
EDP-No. 28121*
ctn qty. 5

5 different tips incl.

16/19V output voltages



Universal Schaltnetzteil für Notebooks

- Can be used as a replacement for a lost or broken original PSU or as a second PSU for home/office use
- Reverse voltage protection
- Over-current protection
- Short circuit protection
- Over-voltage protection
- Over-power protection
- Works with many higher power requirements Notebook brands with , e.g.: Acer, ASUS, BenQ, Compaq, Dell, Fujitsu, Hitachi, HP, IBM, Lenovo, LG, NEC, Samsung, Sharp, Sony, Toshiba and more

- Input voltage 100 – 240 V AC~ 50 – 60 Hz
- Max. output power 90 W
- Max. output current 4.74 A (16/19 V)
- Adjustable output voltages (by resistor): 161 V und 19 V

* With the change to the bazoo packaging, this has a new article number

DC/DC Power Supplies

Car/air power supply for Notebooks and Netbooks

- Best for travelling
- Reverse voltage protection
- Over-current protection
- Short circuit protection
- Over-heating protection
- Easy voltage adjustment
- 6 tips for different popular notebook brands
  HP, Compaq, Gateway, Sharp, Winbook etc., Dell, BenQ Joybook, Dell, Samsung, Fujitsu Amilo, Sony, NEC, Toshiba, Lenovo, LG X Series, ASUS
- Can be used for car or airplane

- Input voltage 12 V / 8 A max.
- Max. output power 72 W
- Max. output current 4 A (15 – 18 V) or 3 A (19 – 24 V)
- Adjustable output voltages:
  15 V, 16 V, 18 V, 19 V, 20 V, 22 V, 24 V

NBK POWER DC72
EDP-No. 28122*

ctn qty. 5

For car or airplane



12 different tips incl.

Car/air power supply for Notebooks

- Best for travelling
- Reverse voltage protection
- Over-current protection
- Short circuit protection
- Over-heating protection
- Easy voltage adjustment
- 12 tips for different notebook brands
- Can be used for car or airplane
- Works with many Notebook/Netbook brands, e.g.:
  ASUS, BenQ, Compaq, Dell, Fujitsu-Siemens, HP, IBM, LG, Lenovo, Samsung, Sony, Toshiba and more

- Input voltage 12 V / 12 A max.
- Max. output power 120 W
- Max. output current 6 A (15 – 20 V) or 5 A (22 V/24 V)
- Adjustable output voltages:
  15 V, 16 V, 18 V, 19 V, 20 V, 22 V, 24 V

NBK POWER DC120
EDP-No. 28123*

ctn qty. 5

For car or airplane

6 different tips incl.

* With the change to the bazoo packaging, this has a new article number

Accessories

TRAVEL
Multi Travel Adapter

Compact, universal travel adaptor for simple adaptation of mains plugs in various directions.

- For many European countries (Germany, UK, Spain etc.), USA, Asia
- Suitable for protection class II devices (without earthing)
- With replaceable 2.5 A fuse

The travel plug is not a voltage and frequency converter!

new B-NBK TRAVEL
EDP-No. 30465
ctn qty. 5

For many European countries

For USA, Canada, Mexico and other

For Australia, New Zealand and other

For Great Britain, Ireland, Hong Kong and other

Traveller's connection set

- Including 7 adapters for more than 150 countries throughout the world
- Children security
- Including transport bag
- Suitable for Schuko and European plugs

The travel plug is not a voltage and frequency converter!

new B-NBK TRAVEL
EDP-No. 28756
ctn qty. 50

MULTIMEDIA

www.bazoo.eu

Network, wireless



System example I

Internet in the whole house:
Online shopping
Online banking
Media datenbank

The terms “WIFI” or “wireless LAN” refer to the technology and products needed to integrate computers, PDAs, smartphones, multimedia servers or games consoles into a local area network WITHOUT CABLES. Often it is not possible to install network cables in buildings, e.g. rented flats (see system example I).

WIFI is the solution to this problem: computers and WIFI compatible devices can be arranged throughout buildings fully flexibly. The devices are even connected to each other, with network printers, memory devices and the internet through walls. When using notebooks or PDA, freedom is unlimited and there are no longer any cables to limit mobility (see system example II).



System example II

Ⓐ : Domestic telephone line
Ⓑ : Splitter
Ⓒ : DSL modem
Ⓓ : WLAN router
Ⓔ : Desktop PC with WLAN capability
Ⓕ : Notebook
Ⓖ : Tablet PC/Smartphone
Ⓗ : Printer with Printserver
Ⓘ : NAS = Network attachedstorage

Speed of WIFI networks:

All WIFI technology is based on the IEEE 802.11 standard.
There are currently 3 subordinated standards which defined the basic speeds for this 2.4 GHz radio technology.



Wireless Network
N-STANDARD
up to 300 Mbit/s

Networks based on IEEE802.11n are necessary for the transfer of large volumes of data, e.g. for video transfers or backups.

Wireless Network
G-STANDARD
up to 54 Mbit/s

IEEE 802.11g based networks are sufficient for normal applications such as internet, e-mail or transmitting audio streams.

Wireless Network
B-STANDARD
up to 11 Mbit/s

IEEE 802.11b based networks are sufficient for occasional internet surfing with no major download requirement.

Network, wireless

WLAN Product Matrix

Product	WLAN-g Stick	WLAN-n Stick	WLAN-n Stick	WLAN-n Stick
EDP	28790	28791	26923	28359
Short-Description	• Up to 54 MBit/s • g-standard	• Up to 300 MBit/s • n-standard	• Up to 150 MBit/s • n-standard • Nano Type	• Up to 300 MBit/s • n-standard • Nano Type
Useable for	Best for: All-in-One, Tablet, Notebook ○, Netbook ○, Desktop ●	Best for: All-in-One, Tablet, Notebook ○, Netbook ○, Desktop ●	Best for: All-in-One ○, Tablet ●, Notebook, Netbook ○, Desktop	Best for: All-in-One ○, Tablet, Notebook ●, Netbook ○, Desktop
Arguments for market	• Cheap entry-level product • Common mass article • Shelf placement • Also for Mac	• Latest standard for fast transfers • Standard with the greatest demand • Shelf placement • Also for Mac	• Latest standard • Standard with the greatest demand • Compact blister, also suitable for second placements • Also for Mac	• Latest standard for fast transfers • Standard with the greatest demand • Compact blister, also suitable for second placements • Small size with ultimate data transfer rate • Also for Mac
Arguments for customer	• Established standard for all WLAN networks • For Internet, backup, mail	• Fastest transfer rates • Also for Internet video data backup	• Also for Internet video data backup • Ideal as accessory for all portable computers thanks to its small size • Does not obstruct neighbouring ports • Upgrades netbooks to the latest WLAN standard	• Fastest transfer rates • Also for Internet video data backup • Does not obstruct neighbouring ports • Upgrades netbooks to the latest WLAN standard
Packaging	Cardboard box	Cardboard box	Blister	Blister

Wireless LAN USB adapter, 300 MBit/s

This compact USB 2.0 to WIFI-n adapter for wireless communication. Easy to operate software for configuration, monitoring and diagnosis purposes are enclosed.

- WIFI-n standard (IEEE 802.11n) for 300 Mbit/s data transfer
- Compatible with former WIFI networks according to 802.11b, 802.11g and 802.11n standard
- Encryption: 64/128-bit WEP and WPA (TKIP with IEEE802.1x), WPA2, AES for data security
- Multiple antenna with MIMO 1T2R technology for higher performance
- Easy configuration with WPS via mouse click
- LED indicator for link status
- Including cap for USB plug
- Dimensions: 77 x 26 x 12 mm
- Packaging: cardboard box

System requirements:
- Computer with USB support (USB 2.0 required for maximum datarate)
- Windows® 2000, XP, Windows® Vista®, Windows® 7
- MAC OS 10.4
- Linux minimum Kernel 2.6.x.y
- Compatible with Iomega® „Screenplay“

B-WLAN USB-300
EDP-No. 28791
ctn qty. 5

Wireless Network
N-STANDARD
up to 300 Mbit/s



Network, wireless

This miniaturised USB2.0 to WIFI-n adapter allows wireless communication between a desktop or notebook PC and other Wireless LAN devices. This adapter not only allows a network to be set up, but also provides access to the Internet via hotspots in public locations. Easy to operate software for configuration, monitoring and diagnosis purposes are enclosed.

not available anymore!

N 300-S
EDP-No. 28359
ctn qty. 5



Wireless LAN USB adapter, 54 Mbps

- WIFI-n standard (IEEE 802.11n) for 300 Mbit/s data transfer
- Compatible with former WIFI networks according to 802.11b, 802.11g and 802.11n standard
- Encryption: 64/128-bit WEP and WPA (TKIP withIEEE802.1x), WPA2, AES for data security
- Easy configuration with WPS via mouse click from the enclosed software
- Range: up to 100 m in buildings, up to 300 m out of doors (depending on ambient conditions)
- Dimensions: 33 x 16 x 8 mm
- Packaging: blister

System requirements:
- Computer with USB support (USB 2.0 required for maximum datarate)
- Windows® 2000, XP, Windows® Vista®, Windows® 7
- MAC OS 10.6
- Linux: minimum Kernel version 2.6.x.y

B-WLAN USB-150
EDP-No. 26923
ctn qty. 5

Plug-in and carry



Wireless LAN USB adapter, 150 MBit/s

- IEEE 802.11b/g/n standard for data transfer rates up to 150 MBit/s
- Compatible with former networks according to 802.11b, 802.11g and 802.11n standard devices
- Encryption: 64/128-bit WEP and WPA (TKIP withIEEE802.1x), WPA2, AES for data security
- Easy configuration with WPS via mouse click from the enclosed software
- Dimensions: 25 x 15 x 7 mm
- Packaging: blister

System requirements:
- Computer with USB support (USB 2.0 required for maximum datarate)
- Windows® 2000, XP, Windows® Vista®, Windows® 7
- MAC OS 10.6
- Linux: minimum Kernel version 2.6.x.y

Network, wireless

Wireless LAN USB adapter, 54 Mbit/s

Solid USB 2.0 Wireless LAN adapter for wireless communications. Easy to operate applications for configuration, monitoring and diagnosis purposes are enclosed.

- IEEE 802.11b/g standard
- Compatible with 802.11b and 802.11g standard devices
- Encryption: 64/128-bit WEP and WPA (TKIP withIEEE802.1x), WPA2, AES for data security
- Easy configuration with WPS via mouse click
- LED indicator for Link Status
- Including cap for USB plug
- Dimensions: 77 x 26 x 12mm
- Packaging: cardboard box

System requirements:
- Computer with USB support (USB 2.0 required for maximum datarate)
- Windows® 2000, XP, Windows® Vista® or Windows® 7

B-WLAN USB 54
EDP-No. 28790
ctn qty. 5



MULTIMEDIA

Network, wired

PCI -> 10/100 Mbit/s Ethernet card

This 10/100 Fast Ethernet PCI card lets you link your PC to a network or replaces defective or legacy 10 Mbps adapters.

- For all networks compliant with the Fast Ethernet (100 Mbps) or Ethernet (max. 10 Mbps) standards
- IEEE 802.3. 10BASE-T & IEEE 802.3u 100Base-TX compatible
- Full duplex (20/200/2000 Mbps)
- RJ45 connection
- LEDs on the bracket indicate the network status
- Easy installation even for beginners due to P&P
- Package: cardboard box

System requirements:
- Computer with PCI slot Rev. 2.2 or compatible
- Windows® 2000, XP, Windows® Vista® or Windows® 7

B-NET 100 GX PCI
EDP-No. 30427
ctn qty. 10





Network, wired

NET 1000 PCI
EDP-No. 23406



PCI -> 10/100/1000 Mbit/s
Gigabit Ethernet card

This 10/100/1000 Mbps Gigabit Ethernet PCI card offers cutting-edge technology for wired networks. It is ideal if you wish to boost data transfer speed, e.g. for video conferencing or other applications with large data volumes.

- Fully compatible with existing 10/100 Mbps networks
- IEEE 802.3 10BASE-T, IEEE 802.3u 100Base-TX & IEEE 802.3ab 1000BASE-T
- Full duplex (20/200/2000 Mbit/s)
- RJ45 port supports auto-uplink for all speeds
- LEDs on the bracket indicate the network status
- Easy installation even for beginners due to P&P
- Package: blister

System requirements:
- Compatible with PCI 2.1 and 2.2 specifications
- Windows® 2000, XP, Windows® Vista® or Windows® 7

NET 100 SW5-N
~~EDP-No. 23407~~
NF-EDP-No. 30429*
ctn qty. 5

10/100Mbit/s Ethernet switch with 5 ports

Fast Ethernet Switch for establishing a star topology network of up to 5 network members such as PCs, print servers or NAS.

- For all 10/100 Mbps networks
- Standards: IEEE 802.3 (10Base-T), 802.3u (100Base-TX) and 802.3x (full duplex flow control)
- 5 RJ45 ports with auto-uplink
- Automatic detection of 100 Mbps or 10 Mbps data rates
- Supports full duplex (20/200 Mbps) and half duplex (10/100 Mbps) modes
- Network status indication by LEDs
- Dimensions: 125 x 70 x 30 mm
- Packaging: blister

System requirements:
- Existing Ethernet network with 10/100 Mbps
- For all operating systems

* With the change to the bazoo packaging, this has a new article number

USB 3.0 - The new standard

USB is by far the most common connection for IT devices. It was originally developed in order to simplify the wide range of connections to PCs and to enable installation of various accessories such as mice, keyboards, webcams etc. USB has now become the standard connection for almost all digital devices such as netbooks, notebooks, Smartphones and all-in-one PCs.
With the new "SuperSpeed" USB 3.0 version, this connection has once again been considerably improved. As USB 3.0 has been officially adopted as the global standard, perfect functionality between the relevant devices is now ensured.

Essential features of USB 3.0:

1. Speed is the most important feature:

5GBit/s means a data transfer rate which is about 10x higher than with USB 2.0!
Users of external hard drives will notice a considerable difference.

This is illustrated by a comparison between USB 3.0 and previous types of connection



In order to achieve the maximum transfer rate of 5 GBit/s, all components in the connection chain (boards -> cables -> devices) must be certified for USB 3.0 Vivanco has the necessary range of accessories. Thanks to optimisation of communication between devices (transfer protocol) even the connection of USB 2.0 devices (e.g. USB memory sticks) to USB 3.0 ports can result in a speed increase of up to 8%.

2. Compatibility:

USB 3.0 devices are compatible with USB 2.0 and USB 1.1, however they then only provide the specified data transfer rates.

3. Energy efficiency:

USB 3.0 supports various power saving modes, which in particular increases the operating times of battery-powered devices.

USB 3.0

The Cards 30430 und 30432 are used to tune computers without USB 3.0 connector. The new generation of USB devices allows 10-times faster data transfer between computers and connected USB 3.0 devices.
Note: All components must be USB 3.0 certified to benefit by SuperSpeed data transfer (Interface, cable, device). Fitting connections you can find in the catalogue. Users of USB 2.0 devices will also benefit by USB 3.0 interfaces due to optimized data processing. Datarates of USB 2.0 devices (e.g. memory sticks) may increase by ~8%.

B-USB3 2P PCIE
EDP-No. 30430
ctn qty. 5



PCIe PCI Card | USB 3.0 Connection | up to 5 Gbit/s Super Speed | 2 Port USB Hub

PCIe -> USB 3.0
card with 2 USB ports

- 2 x USB 3.0 SuperSpeed ports
- Approx. 10x faster than USB 2.0
- Meets USB specification USB 3.0
  Compatible with USB 2.0 and USB 1.1
- Suitable for all devices with "SuperSpeed" (5 GBit/s), "HighSpeed" (480 MBit/s) and "FullSpeed" (12 MBit/s)
- For upgrading PCs
- Power connector to connect with internal PC-power supply
- Packaging: blister

System requirements:
- Free PCI Express slot
  (Recommended PCI Express 2.0)
- Windows® XP / Windows® Vista® / Windows® 7
  (Each 32 and 64 bit) or higher

B-USB3 2P PCCE
EDP-No. 30432
ctn qty. 5

Included power adapter

Express Card | USB 3.0 Connection | up to 5 Gbit/s Super Speed | 2 Port USB Hub | 2A Power Adapter

Express Card -> USB 3.0
card with 2 USB ports

- 2 x USB 3.0 SuperSpeed ports
- Approx. 10x faster than USB 2.0
- Meets USB specification USB 3.0
  Compatible with USB 2.0 and USB 1.1
- Suitable for all devices with "SuperSpeed" (5 GBit/s), "HighSpeed" (480 MBit/s) and "FullSpeed" (12 MBit/s)
- For upgrading notebooks/netbooks
- Power adapter 2A included
- Packaging: blister

System requirements:
- Notebooks or Netbooks with free 34 mm Express Card slot
- Windows® XP / Windows® Vista® / Windows® 7
  (Each 32 and 64 bit) or higher

USB 3.0

USB 3.0 harddisk adapter for SATA harddisks

The adapter is used to connect serial ATA (SATA) harddisks with PC's, notebooks or netbooks using USB 3.0 connection. The new generation of USB devices allows up to 10-times faster datatransfer compared to USB 2.0. Requirement for maximum datarate of up to 5GBit/s: Adapter must be connected to USB 3.0 interface. In case this interface is missing it can be added by Vivanco items 30430 or 30432.

- Approx. 10x faster than USB 2.0
- Supports High Speed USB 2.0 (480 MBit/s), compatible with USB 1.1
- Supports 48 Bit LBA
- Supportst 1.5 Gbit/s- or 3.0 Gbit/s-operation
- Supports Ultra DMA and Multi-Word DMA 0-2
- Hot Swapping[1)]
- Includes external switched mains unit for the power supply of the hard drive, 5 V / 2 A and 12 V / 2 A
- Includes USB 3.0 connecting cables
- Package: cardboard box

System requirements:
- Free USB 3.0 port
- Windows® XP / Windows® Vista® / Windows® 7 (each 32 and 64 bit) or higher
- MAC OS X and Linux minimum Kernel version 2.6.x.y

B-USB3 SATA
EDP-No. 30434
ctn qty. 5

SuperSpeed USB 3.0 up to 5 Gbit/s

Example of application*

Including Power Adapter

USB 3.0 hub with 4 ports, incl. power adapter

SuperSpeed USB 3.0 hub with the latest technology for connection of up to four USB devices. Includes USB 3.0 connection cable and Euro switching power adapter. Prerequisite for maximum data transfer rate of up to 5GBit/s: Connection of the adapter to a USB 3.0 port. If this is not available, the port can be upgraded with Vivanco products 30430 and 30432.

- Elegant design, with 4 USB ports
- Approx. 10x faster than USB 2.0
- Meets USB specification USB 3.0
  Full downward compatibility to USB 2.0 and USB 1.1
- Suitable for all devices with "SuperSpeed" (5 GBit/s), "HighSpeed" (480 MBit/s) and "FullSpeed" (12 MBit/s)
- Including function LEDs

System requirements:
- Computer with USB support
- Windows® XP, Windows® Vista® or Windows® 7
- MAC OS X and Linux minimum Kernel version 2.6.x.y

B-USB3 HUB 4A
EDP-No. 28360
ctn qty. 5

Illustration similar

SuperSpeed USB 3.0 up to 5 Gbit/s



* Hard drive not included
1) Can be connected while computer is running

USB 2.0 Adapters

USB SER-N
EDP-No. 23425
NF-EDP-No. 30437*
ctn qty. 5

USB -> serial adapter

This USB to serial adapter provides a compatible serial interface to connect PCs or notebooks via the USB port.

- USB type A plug to D-Sub 9 pin connector for connection with typical serial interface cables
- Suitable for all popular serial devices
- Supports all common RS-232 baud rates
- Fully UART-compatible
- Cable length: 1.5 m
- Package: blister

System requirements:
- Computer compatible with USB
- Windows® 2000, XP, Windows® Vista® or Windows® 7

USB PS/2-N
EDP-No. 23426
NF-EDP-No. 30438*
ctn qty. 5

USB -> 2x PS/2 adapter

Provides two completly compatible PS/2 connections on PCs or notebooks.

- For simultaneous operation of PS/2 keyboard and PS/2 mouse
- Only one USB port is occupied
- Supports multimedia functions of common keyboards
- Package: blister

System requirements:
- Computer with USB support
- Windows® 2000, XP, Windows® Vista® or Windows® 7

USB PAR-N
EDP-No. 23427
NF-EDP-No. 30439*
ctn qty. 5

USB -> parallel/printer adapter

Connects printers with Centronics port to USB port

- USB type A connector to Centronics 36 pin connector for printer connection
- Supports standard PC parallel port applications
- Package: blister

System requirements:
- Computer with USB support
- Windows® 98SE, 2000, ME, XP, Windows® Vista® or Windows® 7

USB 2.0, Adapters

USB 2.0 -> 10/100 network adapter

This USB to Fast Ethernet adapter converts an USB port on a PC or notebook into a high-speed Ethernet port. Due to the USB high-speed technology Ethernet bandwidth of 100 Mbps can be supported.

- USB type A plug to RJ45 socket for connection to networks via Ethernet cables
- Full-speed USB standard, compatible with USB 1.1
- Compatible with IEEE 802.3 10BASE-T & IEEE 802.3u 100Base-TX
- Supports full duplex mode (20/200 Mbit/s)
- Cable length: 1.8 m
- Package: blister

System requirements:
- Computer with USB support (USB required for 100 Mbps)
- Windows® 2000, XP, Windows® Vista® or Windows® 7
- Nintendo™ Wii

USB2 NET-N
EDP-No. 23482
NF-EDP-No. 30440*
ctn qty. 5

USB 2.0 link cable PC / MAC

USB 2.0 link cable for easy PC <-> PC, PC <-> MAC or MAC <-> MAC data exchange. Software already integrated in the cable, making an installation of drivers or software unnecessary. Simply plug the cable to a USB port, wait for the application to launch; then copy, move or rename files.

- Runs with PC and MAC – also for PC-MAC combinations
- Ready for use at any time since the software is integrated in the cable
- No need to install drivers or software
- Supports High Speed USB 2.0 (480 MBit/s), compatible with USB 1.1
- Ideal for synchronising, data exchange or restoring data
- LED status display for both connections
- Intuitive software
- Package: blister

System requirements:
- Free USB 2.0 port
- Windows® 2000, XP, Windows® Vista® or Windows® 7
- MAC OS 10.3 or higher

USB2 LINK PCMAC
EDP-No. 26273
NF-EDP-No. 30441*
ctn qty. 5

USB 2.0, Adapters

B-USB2 EXT
EDP-No. 30436
ctn qty. 5

Illustration similar



Active USB 2.0 extension

Active USB 2.0 extension, extends USB ports by 5.0 m

- Signal booster integrated in extension
- Maintains the USB 2.0 signal quality and ensures compliance with USB specifications
- Allows cable extensions of up to 24.0 m
- Supports low-speed, high-speed and full-speed devices
- Cable length: 5.0 m
- Package: blister

System requirements:
- Computer with USB support (preferably USB 2.0)
- For all operating systems

B-USB2 SATA/IDE
EDP-No. 30433
ctn qty. 5

Example of application[2)]

Incl. power adapter

Incl. SATA-cable



Incl. power cable

Incl. USB cable

USB 2.0 to SATA / IDE adapter incl. power adapter

Connect quickly and convenient all 2.5"/ 3.5" SATA and IDE/PATA hard disk drives (HDDs) to your notebook or desktop PC via USB 2.0 interface.

- Supports high speed USB 2.0- compatible to USB 1.1
- Allows an access to all 2,5“- / 3,5“-SATA or 2,5“ (44pin)- / 3,5“ (40pin)-IDE
- Supports Ultra DMA 0-6 and multi word DMA 0-2
- Hot Swapping[1)]
- Incl. external power adapter 5V 2A - 12V / 2A
- Incl. USB 2.0, SATA and molex to SATA cable
- Package: cardboard box

System requirements:
- Free USB 2.0 port
- Windows® 2000, XP, Windows® Vista® or Windows® 7
- MAC OS 10.2+

1) Can be connected while computer is running
2) Hard drive not included

USB 2.0, Green hubs

Environmental protection by way of energy saving becomes more and more important. Everybody is using terms like Green IT, standby current, energy efficiency or carbon dioxide emission. But everyday life is totally different. Does it annoy you when USB devices continue running although you turned off your computer?

Everyday situations like the following contradict the idea of environmental friendliness:

- Hard disks continue running
- Keyboard and mice remain powered

The bazoo Green hub series helps you save money while simultaneously protecting the environment. The switch integrated in the hub isolates all connected USB devices from the USB power supply if desired.

GREEN HUB, 4 USB ports

Passive USB design hub with 4 USB ports and switch for complete isolation of all connected USB devices from the USB port.

- Equivalent to USB specifications Rev. 2.0, fully downwards compatible to USB 1.x
- Clever arrangement of all necessary connection combinations to prevent ports from being obstructed by large USB devices:
  - 3 ports on the top of the hub
  - 1 port on the side of the hub
- Rubber feet prevent slipping on the table
- Packaging: blisterbox

System requirements:
- Computer with USB support (preferably USB 2.0)
- Windows® 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10+ or Linux

B-USB 2HUB 4EP
EDP-No. 27188
ctn qty. 6


Power switch

Power connector

USB 2.0, Green hubs

B-USB 2HUB 4EA
EDP-No. 27189
ctn qty. 6

Power switch

Power connector

GREEN HUB, 4 USB ports, incl. power adapter

Active USB design hub with 4 USB ports and switch for complete isolation of all connected USB devices from the USB port.

- Equivalent to USB specifications Rev. 2.0, fully downwards compatible to USB 1.x
- Clever arrangement of all necessary connection combinations to prevent ports from being obstructed by large USB devices:
  - 3 ports on the top of the hub
  - 1 port on the side of the hub
- Rubber feet prevent slipping on the table
- Power adapter for worldwide operation, independent of mains voltage and frequency
- Packaging: blisterbox

System requirements:
- Computer with USB support (preferably USB 2.0)
- Windows® 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10+ or Linux

B-USB 2HUB 7EA
EDP-No. 27190
ctn qty. 6


Power switch

Power connector

GREEN HUB, 7 USB ports, incl. power adapter

Active USB design hub with 7 USB ports and switch for complete isolation of all connected USB devices from the USB port.

- Equivalent to USB specifications Rev. 2.0, fully downwards compatible to USB 1.x
- Clever arrangement of all necessary connection combinations to prevent ports from being obstructed by large USB devices:
  - 4 ports on the top of the hub
  - 3 ports on the side of the hub
- Rubber feet prevent slipping on the table
- 1.8 m USB 2.0 connection lead
- Power adapter for worldwide operation, independent of mains voltage and frequency
- Packaging: blisterbox

System requirements:
- Computer with USB support (preferably USB 2.0)
- Windows® 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10+ or Linux

USB 2.0 hubs

USB 2.0 hub, 7 USB ports, incl. power adapter

Compact 7-port USB 2.0 hub for connecting up to seven USB 2.0 or USB 1.1 devices. Incl. USB 2.0 cable and power adapter.

- Elegant design with 7 USB ports
- 1 USB port suitable for wider products, without obstructing the other ports
- Supports data transfer rates of up to 480 Mbit/s
- Meets USB specification Rev. 2.0, fully downward compatible with USB 1.X
- Suitable for all low-speed (1.5 Mbps), full-speed (12 Mbps) and high-speed (480 Mbps) USB devices
- Including function LED
- Including power adapter 5 V, 3.0 A for devices with high power consumption such as USB hard disks
- Packaging: cardboard box

System requirements:
- Computer with USB support (preferably USB 2.0)
- Windows® 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10+ or Linux

USB2 HUB 7A
EDP-No. 28793
ctn qty. 5

Rear - connections



USB 2.0 Connection | Speed | Power Adapter | USB Port

USB 2.0 hub, 4 ports, incl. power adapter

4-port USB-2.0 hub, for connection of up to four USB 2.0 or USB 1.1 devices, including USB cable and mains unit

- 480 MBit/s, 40 x faster than USB 1.1
- Supports data transfer rates: 480 MBit/s, 12 MBit/s and 1.5 MBit/s
- Fully downward compatible with USB 1.1
- Active exchange: peripherals can be connected and disconnected at any time
- Including high-power 5V 2A switching power adapter to operate devices with high current consumption, e.g. USB hard drives
- Package: cardboard box

System requirements:
- Computer with USB support (preferably USB 2.0)
- Windows® 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10+ or Linux

USB HUB 4A
EDP-No. 28792
ctn qty. 10

Power supply connector

USB 2.0 Connection | Speed | Power Adapter | USB Port

USB 2.0 hubs

new B-USB 2 HUB 4SP
EDP-No. 27207
ctn qty. 5

High gloss surface



Extra slim, only 8 mm high

USB hub extra slim, 4 ports

The bazoo Slim hub is the perfect solution for users of mobile computers. Modern, extra slim and small design differentiates it from conventional hubs.

- USB 2.0 for data rates up to 480 MBit/s
- 4 ports
- Extra slim case, only 8 mm high
- White glossy housing
- 0.3 m connection cable

For all operating systems which support USB, such as:
- Windows® 98SE, 2000, ME, XP, Windows® Vista® and Windows® 7
- MAC OS 9.x or higher
- Linux Kernel 2.6.x.y. or higher

new B-USB HUB 4WP-A
EDP-No. 30443
ctn qty. 5

Optional power supply

USB hub with high glossy acrylic-housing, 4 ports

- USB 2.0 for data rates up to 480 MBit/s
- 4 ports
- Connection socket for power supply
- Rubber feet prevent slipping on the table
- 1.8 m connection cable

For all operating systems which support USB, such as:
- Windows® 98SE, 2000, ME, XP, Windows® Vista® and Windows® 7
- MAC OS 9.x or higher
- Linux Kernel 2.6.x.y. or higher

USB 2.0 hubs

bazoo LUGUS FL, USB design hub, 4 ports

Compact USB design hub, ideal for mobile use

- USB 2.0 for data rates up to 480 MBit/s
- Equivalent to USB specifications Rev. 2.0, fully downwards compatible to USB 1.x
- Cleverly arranged ports for all the required combinations of connections to prevent ports from being blocked by large USB devices:
  - 3 ports on the front of the hub, of which one can be tilted by 90°
  - 1 port on the side of the hub
- Blue function LED on top
- With special rubber coated surface for better touch
- Rubber feet prevent slipping on the table
- 0.5 m connection cable
- Packaging: blister in sales display

System requirements:
- Computer with USB support (preferably USB 2.0)
- Windows® 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10+ or Linux

B-USB 2HUB 4 FLP
EDP-No. 27191
ctn qty. 5

No obstructed ports



USB 2.0 HUB passive, 4 ports

USB 2.0 hub for connection of up to 4 USB devices for use with a notebook or desktop PC

- For USB devices with low power requirement (self-powered mode), e.g. USB mice and devices with their own power supply
- Compatible with USB 1.0 / 1.1
- Practical recess for storing the connector in the device
- Size only: 95 x 30 x 14,5 mm
- Packaging: blister

System requirements:
- Computer with USB support (preferably USB 2.0)
- USB Port, Windows® 2000, XP, Windows® Vista®, Windows® 7, MAC OS 9.x+ or Linux

PRO USB2 HUB 4PN
EDP-No. 28794
ctn qty. 10

www.bazoo.eu

USB 2.0 hubs + Card reader

new B-USB 2 HUB RW
EDP-No. 27192
ctn qty. 5


Integrated USB cable

USB ports / MS slot

Mini + micro SD / SD+MMC+CF

480 Mbit/s USB 2.0 | 3x Hub Port | All in 1 Cardreader

Combo card reader + hub, 2in1

The USB 2.0 universal card reader supports most common memory cards. For most small cards, e.g. MicroSD, no separate adapter is required. The combination with integrated USB hub completes the device.

- For high capacity cards (SDXC + SDHC)
- High glossy acryl finish
- Integrated and flexible USB connection cable
- Integrated status LED

- SLOTS:
  - SD / MMC, also SDHC and SDXC / RSMMC / mini SD
  - Memory Stick, also Duo and DuoPro
  - MicroSD / T-Flash
  - M2
  - CF

- USB hub
  - 3 USB 2.0 ports
  - Optional power supply possible from mains unit via DC socket

System requirements:
- USB 2.0 oder USB 1.1 Port
- Windows® ME, 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10.x, Linux Kernel 2.6.x.y

USB 2.0 Card reader

B-RW UNI 4S D1
EDP-No. 27208
ctn qty. 5

Integrated USB connector

480 Mbit/s USB 2.0 | All in 1 Cardreader | Swiveling Plug

Design multi Card reader, 4 slots

The USB 2.0 universal designer card reader supports most common memory cards. For most small cards, e.g. MicroSD, no separate adapter is required.

- For high capacity cards (SDXC + SDHC)
- Metallic-painted housing with aluminium shells
- Pluggable, integrated USB connector
- Integrated status LED
- SLOTS:
  - SD / MMC, also SDHC and SDXC / RSMMC / mini SC
  - Memory Stick, also Duo and DuoPro
  - MicroSD / T-Flash
  - M2

System requirements:
- USB 2.0 or USB 1.1 Port
- Windows® ME, 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10.x, Linux Kernel 2.6.x.y

USB 2.0 Card reader

Universal card reader

Universal card reader for reading from/writing to memory cards. No adapter is required for most memory cards.

- Also for high capacity cards (SDXC + SDHC)
- Functions LED
- Incl. USB connection cable

- SLOTS:
  - SD / MMC, also SDHC and SDXC / RSMMC / mini SD
  - Memory Stick, also Duo and DuoPro
  - MicroSD / T-Flash
  - M2
  - xD
  - CF

System requirements:
- Computer with USB support
  (USB 2.0 is required for maximum data transfer rates)
- Windows® 2000, XP, Windows® Vista® or Windows® 7
- Linux minimum Kernel 2.6.x.y
- MAC OS 10.x or higher

new RW UNI 6S1
EDP-No. 27210
ctn qty. 5

480 Mbit/s USB 2.0 | All in 1 Cardreader | 1,5 m Cable Length

Mini card reader, 4 slots

Extremely compact but universal card reader device. Ideal for people who are on the go. For most small cards e.g. Micro SD, no separate adapter is necessary.

- For high capacity cards (SDHC)
- Integrated and flexible connection cable
- Integrated blue status LED

SLOTS:
- SD / MMC, also SDHC, SDXC
- Memory Stick, also Duo and DuoPro
- MicroSD / T-Flash
- M2

System requirements:
- USB 2.0 or USB 1.1 Port
- Windows® ME, 2000, XP, Windows® Vista®, Windows® 7, MAC OS 10.X, Linux Kernel 2.6.x.y

new B-RW UNI 4S XS
EDP-No. 27209
ctn qty. 5



3 slots on rear

Cable clip

480 Mbit/s USB 2.0 | All in 1 Cardreader

www.bazoo.eu

USB 2.0 Tuning Kits

new B-NB KIT MUB
EDP-No. 27202
ctn qty. 4 / black/silver

TUNING KIT #3 - Mouse + Hub + Bluetooth® dongle

The bazoo TUNING KIT#3 is the ideal accessory for (mini-) notebooks. It greatly improves convenience when using these devices. Any user who is annoyed with small, difficult-to-use touch pads will love this value-for-money kit consisting of mouse and hub with Bluetooth® dongle. The unique feature of this special combination of products is its appeal to users of (mini-) notebooks

Hub:
- USB 2.0
- 4 ports on the side
- Short flexible connection cable
- Indicator light on hub

Mouse:
- USB 2.0
- 800 dpi optical sensor resolution
- Cable length: 1.4 m
- 3 buttons with scroll wheel

USB Bluetooth® dongle:
- Latest Bluetooth® Version v2.1 with EDR (Enhanced Data Rate)
- Approx. 10 m range
- Includes TOSHIBA Bluetooth® software complete support of all common BT profiles
- High data security through encryption and authentication
- NFC (Near Field Communication Technology)coupling

Windows® 2000, XP, Windows® Vista®, Windows® 7 and MAC OS 10.2+

USB 2.0 Tuning Kits

TUNING KIT#1, Mouse + Hub

The bazoo TUNING KIT#3 is the ideal accessory for (mini-) notebooks. It greatly improves convenience when using these devices. Any user who is annoyed with small, difficult-to-use touch pads will love this value-for-money kit consisting of mouse. The unique feature of this special combination of products is its appeal to users of (mini-) notebooks

Hub:
- USB 2.0
- 4 ports on the side
- Short flexible connection cable
- Indicator light on hub

Mouse:
- USB 2.0
- 800 dpi optical sensor resolution
- Cable length: 1.4 m
- 3 buttons with scroll wheel

new B-NB KIT MU-W
EDP-No. 27200
ctn qty. 4 / white pearlescent/silver

new B-NB KIT MU-R
EDP-No. 27203
ctn qty. 4 / red, metallic/silver

USB 2.0 Interface

PCI -> USB 2.0 card 4+1 port

The high-speed USB controller card provides a USB 2.0 standard interface. This USB controller supports all USB devices and high-speed USB data rates.

- 4 external and 1 internal downstream (type A) ports
- Supports maximum data rates of 480 Mbps
- Equivalent to USB specifications Rev. 2.0, fully downwards compatible to USB 1.x
- Suitable for all low-speed (1.5 Mbps), full-speed (12 Mbps) and high-speed (480 Mbps) USB devices
- Supports Plug & Play standard
- Package: blister

System requirements:
- Computer with PCI slot rev. 2.2 or kompatibel
- Windows® 2000, XP, Windows® Vista® or Windows® 7

IO 4+1 USB2
EDP-No. **23418**
ctn qty. 5



Bluetooth®



What is Bluetooth® v3.0 EDR?

Bluetooth® v3.0 Enhanced Data Rate is the latest version of the Bluetooth® standard.

The most important new features:

- Low power consumption
  -> Longer operation time for mobile devices
- Simple connection via Near Field Communication
  -> High ease of use, simple operation

The 3.0 standard is fully compatible with older devices with versions 1.1, 1.2, 2.0 and 2.1.

Bluetooth® Product Matrix

Product	Bluetooth® v2.1 Class2 Stick	Bluetooth® v2.1 Class2 Stick	Bluetooth® v2.1 Class1 Stick	Bluetooth® v3.1 Class2 Stick	Bluetooth® v3.1 Class1 Stick
EDP	26916	27212	27211	28357	NEW
Short-Description	• Bluetooth® version 2.1	• Bluetooth® version 2.1 • Incl. software	• Bluetooth® version 2.1 • Incl. software	• Bluetooth® version 3.0 • Incl. software	Bluetooth® version 3.0 • Incl. software
Useable for	Best for: All-in-One, Tablet, Notebook ○, Netbook ●, Desktop ○	Best for: All-in-One, Tablet, Notebook ●, Netbook, Desktop ○	Best for: All-in-One ●, Tablet, Notebook ○, Netbook, Desktop ○	Best for: All-in-One ●, Tablet, Notebook ○, Netbook ○, Desktop	Best for: All-in-One ●, Tablet, Notebook ○, Netbook, Desktop ○
Arguments for market	• Cheap entry-level product • Only for Bluetooth® protocols supported by Windows	• The All-rounder • For all Bluetooth®-protocols useable • Also for Mac	• The All-rounder • For all Bluetooth®-protocols useable • Also for Mac	• Latest technology • Great potential for upgrade business • For all Bluetooth®-protocols useable • Compact blister, also suitable for second placements • Also for Mac	• Latest technology • Great potential for upgrade business • For all Bluetooth®-protocols useable • Compact blister, also suitable for second placements • Also for Mac
Arguments for customer	• For data transfer • For distance up to 20m	• For all Bluetooth® applications without restriction, e.g. stereo-audio • For distance up to 20m • Easy connection	• For all Bluetooth® applications without restriction, e.g. stereo-audio • For large distances up to 100m • Easy connection	• For all Bluetooth® applications without restriction, e.g. stereo-audio • For distance up to 20m • An investment for the future • Easy connection • Rapid connection setup • Highest Data security	• For all Bluetooth® applications without restriction, e.g. stereo-audio • For large distances up to 100m • An investment for the future • Easy connection • Rapid connection setup • Highest Data security
Packaging	Blister	Blister	Blister	Blister	Blister

Bluetooth®

Thanks to the extremely small size of the bazoo Bluetooth® dongle, it can remain plugged in to the notebook or netbook for transport. It enables quick and simple wireless connection of computers to Bluetooth®-compatible devices such as mobile phones, smartphones, headphones, printers etc.

USB Bluetooth® v3.0 adapter, class 2

This USB dongle uses the latest Version v3.0 Bluetooth® generation, whose current consumption, data security and operating convenience has been improved compared with pervious versions. The supplied Broadcom® software supports all Bluetooth® profiles, e.g. stereo audio transfer (A2DP).

- Latest Bluetooth® Version v3.0
- Full downward compatibility with v1.1, v1.2, v2.0 + EDR, v2.1 + EDR
- High data security through encryption and authentication
- Wireless access to networks / Internet without cable via Bluetooth® mobile phones
- Incl. convenient Broadcom® management software for managing the Bluetooth® PAN
- Incl. printed quick-start guide and extensive software help function
- Packaging: blister

System requirements:
- Computer with USB 2.0 support
- Windows® 2000, XP or Windows® Vista®, Windows® 7 and MAC OS 10.2 and higher

B-BT3.0 USB C2 EDR
EDP-No. 28357
ctn qty. 5

USB Bluetooth® v2.1 adapter, class 1

High performance USB dongle with tried-and-tested Bluetooth® standard. The supplied Toshiba software supports all Bluetooth® profiles, e.g. stereo audio transfer (A2DP).

- Bluetooth® Version v2.1
- Full downward compatibility with v1.1, v1.2, v2.0 + EDR
- High data security through encryption and authentication
- Wireless access to networks / Internet without cable via Bluetooth® mobile phones
- The included Bluetooth® software by TOSHIBA offers best support for all current BT profiles
- Includes quick guide and extensive manual on CD
- Packaging: blister

System requirements:
- Computer with USB 2.0 support
- Windows® 2000, XP oder Windows® Vista®, Windows® 7 and MAC OS 10.2 and higher

B-BT2.1 USB C1 EDR
EDP-No. 27211
ctn qty. 5

Bluetooth®

B-BT2.1 USB C2
EDP-No. 27213

ctn qty. 5

USB Bluetooth® v2.1 adapter, class 2

The supplied Toshiba software supports all Bluetooth® profiles, e.g. stereo audio transfer (A2DP).

- Bluetooth® Version v2.1
- Full downward compatibility with v1.1, v1.2, v2.0 + EDR
- High data security through encryption and authentication
- Wireless access to networks / Internet without cable via Bluetooth® mobile phones
- The included Bluetooth® software by TOSHIBA offers best support for all current BT profiles
- Includes quick guide and extensive manual on CD
- Packaging: blister

System requirements:
- Computer with USB 2.0 supports
- Windows® 2000, XP oder Windows® Vista®, Windows® 7 and MAC OS 10.2 and higher

PRO BT2.1 USB C2
EDP-No. 269
ctn qty. 5

not available anymore!

USB Bluetooth® v2.1 dongle, class 2

No software installation required, thanks to access to the Bluetooth® stack of the operating system.

- Bluetooth® Version v2.1
- Full downward compatibility with v1.1, v1.2, v2.0 + EDR
- High data security through encryption and authentication
- Wireless access to networks / Internet without cable via Bluetooth® mobile phones
- Includes printed quick guide
- Packaging: blister

System requirements:
- Computer with USB support
- Windows® 2000, XP or Windows® Vista®, Windows® 7 and MAC OS 10.2 and higher

Security

LOCK
Security steel lock

In spite of its low weight extremely safe chain lock for securing valuable notebooks or beamers at the work place or when travelling.

- Sling loop around a table-leg, for example, and secure the lock insert on the unit
- No universal key but code system
- Weight only approx. 120 g

new B-NBK LOCK
EDP-No. 23240
NF-EDP-No. 28753
ctn qty. 5

2 code keys



Peripherals

SNAKE
USB LED light

- Provides spot illumination without disturbing anyone, ideal in darkened trains and airplanes
- Operates off the USB port
- Low power consumption due to LED technology
- Highly flexible swan neck for optimum focusing
- Weight: approx. 60 g
- Package: blister

new B-NBK SNAKE
EDP-No. 28754
ctn qty. 5





Others

Heat paste, 3 g

The thermal paste is produced using an outstanding nano technology-based manufacturing technique and thus ideally suited for balancing out any unevenness between CPUs and heat sinks. The nano grease can also be used on graphic cards for better thermal conductivity between the GPU (graphic processor unit) and the heat sink.

- High thermal conductivity
- Ideally suited for use on CPUs and GPUs
- Thermal Conductivity 4.5 W/m-K
- Thermal Impedance < 0,205 °C-in²/W
- With spatula for spreading the thermal paste
- Silicone: 50 % / Carbon: 30 % / Metal Oxide: 20 %

HEAT PASTE
EDP-No. 23451
~~NF-EDP-No. 30444~~
ctn qty. 5

www.bazoo.eu

Mousepads

Mousepads

B-MP 3-IN-1 BK
EDP-No. 28277
ctn qty. 24

Protection

Cleaning

Mousepad



3-IN-1 MULTIFUNCTION PAD

The 3-IN-1 Multifunction Pads offer a new combination of useful features for Netbooks and Notebooks. Beside the mousepad function it can be used to dry clean the display or glossy surfaces of Netbooks. As third function it can be put between the keyboard and the display to protect this from scratches during transportation.

- Mousepad size: 258 x 160 mm
- Rubbered backing for use on any surface
- Innovative surface for universal use of all sensors
- Special material structure to protect the display from scratches
- Microfibers for thorough and careful cleaning
- Antimicrobial fiber technology - protects against micro organisms without being harmful for the environment

B-MP MP RD
EDP-No. 28269
ctn qty. 50 / red

B-MP MP BL
EDP-No. 28270
ctn qty. 50 / blue



Super grip

GluePoint bottom

Metallic surface



METALPAD - Ultrathin Metallic-Mousepad

The METALPAD mousepads combine modern surfaces and innovative materials. The ultrathin pads (only 0.4 mm thick!) stick to the desk's surface and cannot be moved accidentally - however they can be removed and replaced without any stains! The SuperGlide metallic surface allows fastest movements of the mouse and works with any mouse sensor.

- Mousepad size: 220 x 180 mm
- Ultrathin material, only 0.4 mm thick
- Antislip SuperGrip metallic bottom side
- Anti-scratch SuperGlide surface for fastest movements
- Works with all sensors and mice types

Mousepads

METALPAD
Ultrathin Metallic-Motif-Mousepad

The METALPAD mousepads combine modern motifs and surfaces and innovative materials. The ultrathin pads (only 0.4 mm thick!) stick to the desk's surface and cannot be moved accidentally - however they can be removed and replaced without any stains! The SuperGlide metallic surface allows fastest movements of the mouse and works with any mouse sensor.

- Mousepad size: 220 x 180 mm
- Ultrathin material, only 0.4 mm thick
- Antislip SuperGrip metallic bottom side
- Anti-scratch SuperGlide surface for fastest movements
- Works with all sensors and mice types

B-MP MP BZ
EDP-No. 28271
ctn qty. 50 / motif A

B-MP MP CRN
EDP-No. 28272
ctn qty. 50 / motif B

B-MP MP GUI
EDP-No. 28273
ctn qty. 50 / motif C

B-MP MP POP
EDP-No. 28274
ctn qty. 50 / motif D

B-MP MP MAT
EDP-No. 28275
ctn qty. 50 / motif E

B-MP MP ROB
EDP-No. 28276
ctn qty. 50 / motif F

Super grip

GluePoint bottom

Metallic surface



A

B

C

D

E

F

Mousepads

B-MP PP NAT
EDP-No. 28265
ctn qty. 20

GluePoint bottom

PICTUREPAD
Ultrathin Motif Mousepad

The PICTUREPAD mousepads combine modern motifs and innovative materials. The ultrathin pads (only 0.4 mm thick!) stick to the desk's surface and cannot be moved accidentally - however they can be removed and replaced without any stains! The carefully selected motifs and surfaces allow the use of the pads with any mouse and sensor type - no matter if the mouse uses a ball or a laser sensor!

- Mousepad size: 240 x 190 mm
- Ultrathin material, only 0.4 mm thick
- Antislip bottom
- Works with all sensors and mice types
- RDC allows flexible positioning in the shop

The motifs of this nature series show original pictures licensed by National Geographic:
- Penguins, Antarctica
- Amazonas, Brasil
- Yoho National Park British Columbia, Canada
- Queensland, Australia

Mousepads

PICTUREPAD
Ultrathin Motif Mousepad

The PICTUREPAD mousepads combine modern motifs and innovative materials. The ultrathin pads (only 0.4 mm thick!) stick to the desk's surface and cannot be moved accidentally - however they can be removed and replaced without any stains! The carefully selected motifs and surfaces allow the use of the pads with any mouse and sensor type - no matter if the mouse uses a ball or a laser sensor!

- Mousepad size: 240 x 190 mm
- Ultrathin material, only 0.4 mm thick
- Antislip bottom
- Works with all sensors and mice types
- RDC allows flexible positioning in the shop

The motifs of this hero series show typical license-free scenes and situations taken from superhero comics.
All motifs are bazoo exclusive motifs!

B-MP PP HERO
EDP-No. 28266
ctn qty. 20

GluePoint bottom

Non-Slip | Laser Sensor | BlueSense Sensor | Optical Sensor | Ultra-Thin

Mousepads

new B-MP PP FLAME
EDP-No. 28267
ctn qty. 20

Non-slip bottom

Ultrathin Motif Mousepad

The PICTUREPAD mousepads combine modern motifs and innovative materials. The ultrathin pads (only 0.4 mm thick!) stick to the desk's surface and cannot be moved accidentally - however they can be removed and replaced without any stains! The carefully selected motifs and surfaces allow the use of the pads with any mouse and sensor type - no matter if the mouse uses a ball or a laser sensor!

- The motifs of this sports flames series show: Football, American Football, Stop watch, Golf ball
- Mousepad size: 240 x 190 mm
- Ultrathin material, only 0.4 mm thick
- Antislip bottom
- Works with all sensors and mice types
- RDC allows flexible positioning in the shop

Mousepads

MOUSEPAD with textile covering

The MOUSEPAD is an extremely flat mouse pad with a textile covering for convenient and ergonomic mouse control. Available in 3 different colours.

- Colours: red, black, blue,
- Each with the bazoo logo in the top left corner
- Supplied in a display box with 24 mousepads
- 8 of each colour
- Textile surface with anti-static effect
- Non-skid foam rubber backing
- Mousepad size: 200 x 230 mm
- Ultrathin material, only 0.3 mm thick
- Package: polybag
- Only sold in full packaging units!

new B-MP BP UNI
EDP-No. 28774
ctn qty. 24

Illustration similar

Motif Mousepad holiday

The MOUSEPAD is an extra flat picture mouse pad for convenient and ergonomic mouse control. It is available with 4 different holiday images.

- 4 different holiday motifs
- Each with the bazoo logo in the top left corner
- Supplied in a display box with 24 mousepads
- 6 of each motif
- Non-skid foam rubber backing
- Size: 20 x 23 cm
- Slim: thickness only 3 mm!
- Package: polybag
- Only sold in full packaging units!

new B-MP BP HOL
EDP-No. 28775
ctn qty. 24

Illustration similar

Mousepads

new B-MP BP PET
EDP-No. 28776
ctn qty. 24

Motif Mousepad Pets

The MOUSEPAD is an extra flat picture mouse pad for convenient and ergonomic mouse control. It is available with 4 different animal images.

- 4 different animal motifs: baby polar bear, kittens, puppy dog, black lamb
- Each with the bazoo logo in the top left corner
- Supplied in a display box with 24 mousepads
- 6 of each motif
- Non-skid foam rubber backing
- Size: 20 x 23 cm
- Slim: thickness only 3 mm!
- Package: polybag
- Only sold in full packaging units!

Skins

B-SSK LEO 10
EDP-No. 28290
ctn qty. 30


Artificial fur surface

Easy adapting

SAFARISKIN notebook decoration foil

This extravagant SAFARISKIN really creates attention and makes an individual Notebook! Thanks to the cutting marks on the backside this high quality metal foil can simply be cut to any size and therefore can be made to fit any notebook lid. The special bottom side allows the secure mount on the lid - but it can easily be peeled off and re-mounted again. The anti-scratch surface offers additional protection of the lid of the notebook.

- Foil size is 305 x 240 mm (for 10" - 12" notebooks)
- Special self-adhesive backside, can be removed without stains
- Anti-scratch surface for extra protection
- Cutting marks on the backside for simple cutting

Skins

METALSKIN notebook decoration foil

With the METALSKINS every Notebook/Netbook can be easily decorated and upgraded. Thanks to the cutting marks on the backside this high quality metal foil can simply be cut to any size and therefore can be made to fit almost any notebook lid. The special bottom side allows the secure mount on the lid - but it can easily be peeled off and remounted again. The anti-scratch surface offers additional protection of the lid of the notebook.

- Special self-adhesive backside, can be removed without stains
- Anti-scratch surface for extra protection
- Cutting marks on the backside for simple cutting
- Available in two sizes
  Size 1: For 15" – 17" notebooks: 415 x 315 mm
  Size 2: For 10" – 12" notebooks: 305 x 240 mm

B-MSK CRN 15
~~EDP-No. 28286~~
ctn qty. 30 / "Crown" / size 1

B-MSK CRN 10
~~EDP-No. 28282~~
ctn qty. 30 / "Crown" / size 2

B-MSK GUI 15
~~EDP-No. 28287~~
ctn qty. 30 / "Guitar" / size 1

B-MSK GUI 10
EDP-No. 28283
ctn qty. 30 / "Guitar" / size 2

B-MSK BZ 15
~~EDP-No. 28288~~
ctn qty. 30 / "Dragon" / size 1

B-MSK BZ 10
EDP-No. 28284
ctn qty. 30 / "Dragon" / size 2

B-MSK MAT 15
EDP-No. 28289
ctn qty. 30 / "Blue Head" / size 1

B-MSK MAT 10
EDP-No. 28285
ctn qty. 30 / "Blue Head" / size 2

Metallic surface

Easy adapting

www.bazoo.eu

PC Cleaning Systems

PC Cleaning Systems

Cleaning system for PC monitor and keyboard

- Antistatic brush removes dust
- Alcohol free, drip resistant fluid safely loosens dirt and grime
- 150 ml of fluid gives approximately 100 applications
- 30 cm x 30 cm, Microfiber cloth for streak free cleaning, Washable- for extended usuage
- Dedicated keyboard cleaning pen with 3 spare heads

PC2
EDP-No. 26959
ctn qty. 10

Cleaning solution suitable for all PC monitors

- Alcohol free, drip resistant fluid safely loosens dirt and grime
- 150 ml of fluid gives approximately 100 applications

PC3
EDP-No. 26960
ctn qty. 10

Air duster

- Air duster specially developed for keyboards, printers and disk drives
- Removes dust even in inaccessible areas
- Also for overhead application
- Non-inflammable, contains no CFG or HCFC
- Content: 125 ml e
- Dimensions: ø 5.5 x height 18.5 cm

PC1
EDP-No. 26958
ctn qty. 12

Keyboard cleaner

- Keyboard cleaning pen
- Surface cleaning fluid
- 3 spare cleaning heads

PC4
EDP-No. 26961
ctn qty. 20



Microfiber cloth for PC monitors

- Microfiber cloth for PC monitors
- Washable – for extended usuage

PC5
EDP-No. 26962
ctn qty. 20

www.bazoo.eu

PC Cleaning Systems

PC6
EDP-No. 26963
ctn qty. 10

Laptop cleaning system

- Cleaning system suitable for laptops and mini notebooks
- Antistatic brush removes dust
- Alcohol free, drip resistant fluid safely loosens dirt and grime from screen
- 60 ml of fluid gives approximately 50 applications
- 30 cm x 30 cm, Microfiber cloth for streak free cleaning, washable – for extended usuage
- Convenient storage case

PC7
EDP-No. 26964
ctn qty. 10

Laptop screen cleaning fluid

- Cleaning solution for all PC monitors
- Alcohol free, drip resistant fluid safely loosens dirt and grime
- 60 ml of fluid gives approximately 50 applications

PC8
EDP-No. 26965
ctn qty. 12

Cleaning tissues for LCD, TFT and LED screens

- 100 moist cleaning tissues supplied in dispensing tub
- Practical, reclosable dispenser box
- Cleaning liquid is free of alcohol (not inflammable)
- Avoid scratches and smudge
- Safely removes dust and dirt
- Rapid drying and antistatic characteristics
- For LCD, TFT, LED, plasma, laptop, flat screens, PDA and all glass surfaces

PC9
EDP-No. 26966
ctn qty. 10

PC CD/DVD lens cleaner

- 2 brush cleaning system
- Brush and cleaning fluid cleans laser optics in your CD/DVD drive

Others

CD IPN4
EDP-No. 26953
ctn qty. 12

Pen for writing on CDs (4 colours)

- CD marker with 4 colours for permanent writing on CD, DVD, Blu-Ray
- Indelible, water resistant special ink on waterbasis

EDP	Type	Page
23240	B-NBK LOCK	65
23407	NET 100 SW5-N	46
23425	USB SER-N	50
23426	USB PS/2-N	50
23427	USB PAR-N	50
23451	HEAT PASTE	65
23482	USB2 NET-N	51
23690	B-HM MONO	32
23691	B - HM NB	30
23692	B-HM ST	30
23693	B-HM USB	29
26273	USB2 LINK PCMAC	51
26278	NBK POWER INV	40
26284	NBK USB CHARGE	40
26916	PRO BT2.1 USB C2	64
26923	B-WLAN USB-150	44
26953	CD IPN4	78
26958	PC1	77
26959	PC2	77
26960	PC3	77
26961	PC4	77
26962	PC5	77
26963	PC6	78
26964	PC7	78
26965	PC8	78
26966	PC9	78
27120	B-MSOU MAR BK	20
27121	B-MSOU MAR WH	20
27122	B-MSOU MAR RD	20

EDP	Type	Page
27123	B-MSOU MAR BL	20
27126	B-MSBU NET BK	19
27128	LUGUS MOUSE	19
27131	B-MSLU NANO	17
27133	B-MSFBU MER PI	15
27134	B-MSFBU MER GR	15
27136	B-MSBU LUG OR	18
27137	B-MSBU LUG GR	18
27138	B-MSBU LUG CH	18
27139	B-MSBU LUG PI	18
27140	B-MSFBU LUG BL	15
27141	B-MSBU SHI	16
27142	B-MSFOU 2.4 MER	14
27143	B-KB FM	8
27145	B-KB USB ST	12
27146	B-WB MM 2.4	8
27149	B-KB USB IBOARD	10
27150	B-KB USB SLIM	10
27151	B-KB USB IBO SET	9
27159	PRO B-SP 2.1	23
27160	B-SP 50 MAR	25
27161	B-SP 100 MAR	25
27162	B-SP 2.1 MAR	23
27163	B-SP MOB LUG II	24
27164	B-SP MOB LUG	24
27166	B-SP 2.1 NET W	22
27175	B-HM NB COL	31
27176	B-HM BASIC	31
27177	B-HM BT	27

QICKFINDER

EDP	Type	Page
27178	B-HM NET WH	29
27179	B-HM NET RD	29
27181	B-HM NET VIBE	28
27182	B-HM NET USB	28
27183	B-MF MINI	32
27184	B-MF CLIP	32
27186	B-CAM-VGA	36
27188	B-USB 2HUB 4EP	53
27189	B-USB 2HUB 4EA	54
27190	B-USB 2HUB 7EA	54
27191	B-USB 2HUB 4 FLP	57
27192	B-USB 2 HUB RW	58
27197	B-SP 2.2 MER II	22
27200	B-NB KIT MU-W	61
27202	B-NB KIT MUB	60
27203	B-NB KIT MU-R	61
27207	B-USB 2 HUB 4SP	56
27208	B-RW UNI 4S D1	58
27209	B-RW UNI 4S XS	59
27210	RW UNI 6S1	59
27211	B-BT2.1 USB C1 EDR	63
27212	B-BT2.1 USB C2 EDR	64
28118	NBK POWER AC65	37
28119	NBK POWER AC72	37
28120	NBK POWER AC90II	38
28121	NBK POWER AC90III	38
28122	NBK POWER DC72	39
28123	NBK POWER DC120	39
28265	B-MP PP NAT	70
28266	B-MP PP HERO	71
28267	B-MP PP FLAME	72
28269	B-MP MP RD	68
28270	B-MP MP BL	68
28271	B-MP MP BZ	69
28272	B-MP MP CRN	69
28273	B-MP MP GUI	69
28274	B-MP MP POP	69
28275	B-MP MP MAT	69
28276	B-MP MP ROB	69
28277	B-MP 3-IN-1 BK	68
28279	B-MP GP SHS	67
28281	B-MP GP SHP	67
28282	B-MSK CRN 10	75
28283	B-MSK GUI 10	75
28284	B-MSK BZ 10	75
28285	B-MSK MAT 10	75
28286	B-MSK CRN 15	75
28287	B-MSK GUI 15	75
28288	B-MSK BZ 15	75
28289	B-MSK MAT 15	75
28290	B-SSK LEO 10	74
28357	B-BT3.0 USB C2 EDR	63
28359	B-WLAN 300-S	44
28360	B-USB3 HUB 4A	49
28753	B-NBK LOCK	65
28754	B-NBK SNAKE	65
28756	B-NBK TRAVEL	41
28757	NBK POWER INV	40

EDP	Type	Page
28758	B-KB ST	12
28759	B-KB USB SET BK	9
28760	B-KB MM USB LIGHT	11
28761	B-KB 10-KEY	12
28762	B-MSOU 10	17
28763	B-MSOC MAR	17
28764	B-MSOC LUG	20
28773	B-KB USB MINI	11
28774	B-MP BP UNI	73
28775	B-MP BP HOL	73
28776	B-MP BP PET	74
28781	B-MSFOU MAR	16
28782	B-MSLU MAR GX	18
28790	B-WLAN USB 54	45
28791	B-WLAN USB-300	43
28792	USB HUB 4A	55
28793	USB2 HUB 7A	55
28794	PRO USB2 HUB 4PN	57
28800	B-MSOU 10GX	17
30425	B-SOUND 4C PCI	33
30426	B-SOUND 6C PCI	33
30427	B-NET 100 GX PCI	45
30428	B-NET 1000 PCI	46
30429	NET 100 SW5-N	46
30430	B-USB3 2P PCIE	48
30431	IO 4+1 USB2	61
30432	B-USB3 2P PCCE	48
30433	B-USB2 SATA/IDE	52
30434	B-USB3 SATA	49
30436	B-USB2 EXT	52
30437	USB SER-N	50
30438	USB PS/2-N	50
30439	USB PAR-N	50
30440	USB2 NET-N	51
30441	USB2 LINK PCMAC	51
30443	B-USB HUB 4WP-A	56
30446	VOIP SET VGA	35
30465	B-NBK TRAVEL	41
30573	TT-AU BT HM TC	26

International Distributors

Bulgaria
Gate Bulgaria LTD
9, Pierre Degeyter Str., Block 3
BG - 1113 Sofia
Phone (+35) 929 710 020
kk@gatebulgaria.com
www.gatebulgaria.com

Croatia
FENIKS-KOMPJUTORI d.o.o.
Maksimirska 132
HR - 10 000 Zagreb
Phone (+385) 1 6395-278
Fax (+385) 1 6395-282
helena@feniks-kompjutori.hr
www.feniks-kompjutori.hr

Czech Republic
DSI Czech, s.r.o.
Pernerova 35a
CZ - 18600 - Praha 8
Phone (+420) 724 41 70 63
Fax (+420) 225 386 101
tomas.dvorak@dsicz.cz
www.dsicz.cz

Denmark
Cenor Nordic AB
Filial Danmark
Sondermarken 143
DK - 8382 Hinnerup
Phone (+46) 84 460 590
Fax (+46) 84 460 595
info@cenor.dk
www.cenor.dk

Estonia
Nordic Digital AA
Tööstuse tee 6
EE - 61707 Ülenurme/Tartumaa
Phone (+372) 733 770 0
Fax (+372) 733 772 9
info@nordic-digital.ee
www.nordic-digital.ee

Ex-Yugoslavia
(Serbia, Montenegro, Bosnia, Macedonia)
Rodocomp d.o.o.
Gortina 143
SI - 2366 Muta
Phone (+386) 2 8879204
Fax (+386) 2 8761143
prodaja@rodocomp.si
www.rodocomp.si

Finland
AV-Komponentti OY
Koronakatu 1a
FI - 02210 Espoo
Phone (+358) 9 8678 020
Fax (+358) 9 8678 0250
info@avkomponentti.fi
www.avkomponentti.fi

Greece
Digitech S.A.
200, Iroon Polytechniou str.
GR - 41221 Larissa
Phone (+30) 2410 284800
Fax (+30) 2410 579092
info@dtsa.gr

Hungary
V-Hungary Kft
Pf 285
HU - 2802 Tatabanya
Phone (+36) 34 316 348
Fax (+36) 34 309 477
vizis@vivanco.hu

Iceland
Sense
Hlíðarsmári 3
IS - 201 Kópavogur
Phone (+354) 585 38 51
www.sense.is

Israel
H.Y. Electronics and Components
No. 14 Hata'as Str.
IL - 44425 Kfar Saba
Phone (+972) 1700 7011 15
Fax (+972) 747 551 673
www.hye.co.il

Lithuania
Elektronikos Pasaulis
Sausio 13-osios 4-1
LT - 05113 Vilnius
Phone (+370) 5 2788678
Phone (+370) 5 2700221
Fax (+370) 5 2700223
www.elektronikospasaulis.lt

Norway
Cenor Nordic AB
Box 10045
SE - 18110 Lidingö
Phone (+46) 84 460 590
Fax (+46) 84 460 595
info@cenor.se
www.cenor.se

Portugal
Esotérico, Consultores de Som, Lda.
Praceta Alves Redol, No. 2
Franqueiro-Loures
PT - 2670 Loures
Phone (+351) 219 838 944
Fax (+351) 219 823 164
info@esoterico.pt
www.esoterico.pt

Romania
Telezimex S.A.
Calea Turzil 231-233
RO - 400495 Cluj-Napoca
Phone (+40) 264 439 103
Fax (+40) 264 439 106
sales@telezimex.ro
www.telezimex.ro

Russia
OOO Unibat
Ivana Franko str. 48
RU - 121351 Moscow
Phone (+7) 495 2325349
Fax (+7) 495 2325134
unibat@mail.ru

Slovakia
DSI Slovakia s.r.o.
Južná trieda 117
SK - 04 001 Košice
Phone (+421) 55 61181 36
Fax (+421) 55 61181 11
www.dsi.sk

Sweden
Cenor Nordic AB
Box 10045
SE - 18110 Lidingö
Phone (+46) 84 460 590
Fax (+46) 84 460 595
info@cenor.se
www.cenor.se

Slovenia
BIG BANG d.o.o – SKUPINA MERKUR
Smartinska 152
SI - 1000 Ljubljana
Phone (+386) 1 309 3700
Fax (+386) 1 309 3760
info@bigbang.si
www.bigbang.si

Turkey
TEST RITE
Atatürk Mh. Girne Cd. No:45
TR 34750 Atasehir - Istanbul
Phone (+90) 216 456 60 80
Fax (+90) 216 456 60 77
info@testrite.com.tr
www.testritegroup.com

Subsidiaries

Austria
Vivanco Austria GmbH
Triesterstrasse 10/ 4
AT - 2351 Wr. Neudorf
Phone (+43) 2236 893 7400
Fax (+43) 2236 893 7408
office@vivanco.at

France
Vivanco France S.A.S
40 avenue de Lingenfeld
FR - 77200 Torcy
Phone (+33) 1 64 73 11 39
Fax (+33) 1 64 61 70 32
hotline@vivanco.fr
www.vivanco.fr

Hong Kong
Vivanco (HK) Ltd.
Unit 510, 5/F Apec Plaza
49 Hoi Yuen Road, Kwun Tong
HK - Kowloon
Phone (+852) 241 104 68
Fax (+852) 249 887 91
info@vivanco.com.hk

Italy
Vivanco Italia S.r.l.
Via Riccardo Lombardi 19/16
IT - 20153 Milano
Phone (+39) 02 33 51 43 23
Fax (+39) 02 33 51 21 88
vivanco@vivanco.it
www.vivanco.it

Netherlands, Belgium, Luxembourg
Vivanco (Benelux) B.V.
Galvanibaan 8
NL - 3439 MG Nieuwegein
Phone (+31) 306 007 050
Fax (+31) 306 007 055
info@vivanco.nl
www.vivanco.nl

Poland
Vivanco Poland Sp.z.o.o.
Ul. Sosnkowskiego 1
PL - 02-495 Warszawa
Phone (+48) 22 723 0745
Fax (+48) 22 723 0750
info@vivanco.pl
www.vivanco.pl

Spain
Vivanco Accesorios S.A.
P. I. Antiguo Gütterman
Crta. Nova de Sta. Mª de
Palautordera a S. Celoni s/n
ES - 08460 Sta. Mª de Palautordera
Phone (+34) 93 848 35 20
Fax (+34) 93 848 16 67
vivanco@vivanco.es
www.vivanco.es

Switzerland
Vivanco Suisse AG
Alte Landstr. 15
CH - 8804 Au ZH
Phone (+41) 44 782 6800
Fax (+41) 44 782 6810
info@vivanco.ch
www.vivanco.ch

United Kingdom
Vivanco (UK) Ltd.
Maxted Court
Maxted Road
GB - Hemel Hempstead/Herts HP2 7DE
Phone (+44) 1442 403 020
Fax (+44) 1442 403 041
consumer@vivanco.co.uk

bazoo

Vivanco GmbH
Ewige Weide 15 · 22926 Ahrensburg/Germany
Phone +49 (0) 41 02 / 231 - 0 · Fax +49 (0) 41 02 / 231 - 160
Internet: www.vivanco.com

All the listed brands are registered trade marks of the respective companies.
Subject to correction and technical alterations!

EDP-No.: 30481